Get the App For Doctors Health Feed My Account

Orders Buy Again


<u>Download App Browse Health Categories My Orders My Offers Health Feed Login/Signup For Doctors Login/Sign-up</u>












Trican Capsule



Search Overview Change Language

- English
- हिंदी
- मराठी
- বাংলা
- <u>ತಲುಗು</u>
- <u>தமிழ்</u>


Trican Capsule

Manufacturer: Trident Pharma Medicine composition: <u>Fluconazole</u>

Prescription vs.OTC: Prescription by Doctor required

Last Updated: August 26, 2021





About Trican Capsule

Trican Capsule is primarily prescribed for the treatment of hepatosplenic candidiasis and other Candida infections, cryptococcal infections and secondary prophylaxis for cryptococcal meningitis in persons with AIDS. It is also used as antifungal prophylaxis in allogeneic bone marrow transplant recipients.

Trican Capsule is indicated for oral or vaginal candidiasis unresponsive to nystatin or clotrimazole; nonlife-threatening Candida infections (eg, cystitis, esophagitis); treatment of hepatosplenic candidiasis and other Candida

infections in persons unable to tolerate amphotericin B.

It is also prescribed for the treatment of cryptococcal infections; secondary prophylaxis for cryptococcal meningitis in persons with AIDS; antifungal prophylaxis in allogeneic bone marrow transplant recipients.

This medicine belongs to the class of triazole antifungal. Trican Capsule is effectively used in the treatment of meningitis. It affects the membranes in the brain and spinal cord. This drug treats fungal infections like yeast infections in the mouth, throat, food pipe, lungs, vagina, etc.

It works by decreasing the production of ergosterol, which inhibits cell membrane formation in fungi. This drug is also preferred as a preventive medication in patients susceptible to fungal infections while undergoing chemotherapy or radiation therapy before bone marrow transplantation.

Some serious side effects that may occur and need immediate medical attention are:


- Yellowing of the skin, dark urine, light-coloured stool and itchiness of the skin, indicating liver damage
- Severe rash or <u>peeling of the skin</u> in patients suffering from <u>cancer</u> or AIDS
- Irregular or fast heart rate, <u>palpitations</u>, seizures or fainting, indicating Torsades de Pointes (a condition of abnormal rhythm of the heart which may cause a sudden cardiac arrest)

Symptoms of overdose include decreased lacrimation, salivation, respiration and motility, urinary incontinence, cyanosis. Treatment includes supportive measures, a 3-hour hemodialysis will remove 50%.

Take as directed, around-the-clock. Take full course of medication as ordered. Follow good hygiene measures to prevent reinfection. Frequent blood tests may be required. Maintain adequate hydration (2-3 L/day of fluids unless instructed to restrict fluid intake).

Information given here is based on the salt content of the medicine. Uses and effects of the medicine may vary from person to person. It is advisable to consult a Internal Medicine Specialist before using this medicine.





What are the uses of Trican Capsule

This drug is primarily used for the following conditions

- Oropharyngeal Candidiasis
- Vaginal Candidiasis
- Fungal Infections (Tinea Strains)
- Cryptococcal Meningitis

• <u>Coccidioidomycosis</u>

Health issues vary person to person

Take help from the best doctors

Find Doctors near you

Book appointment with top doctors

Find Doctors

Ask a FREE Question

Get Answers from doctors with 24 hours


Ask Now

Get Health Products @LOWEST PRICES

Get 80% CASHBACK

Know More






What are the contraindications of Trican Capsule?

• Hypersensitivity





What are the side effects of Trican Capsule?

Side effects of this drug are as follows

- Headache
- Rash
- Nausea
- <u>Vomiting</u>

- Abdominal Pain
- <u>Diarrhoea</u>
- <u>Dizziness</u>
- Hypokalemia






Health Check 360
What are you using Trican Capsule for?
Select an option

- Oropharyngeal Candidiasis
- O Esophageal Candidiasis
- O Cryptococcal Meningitis
- O Vaginal Candidiasis
- O Urinary Tract Infection
- O Peritonitis
- O Candidemia
- O Prophylaxis of Infections
- Other

Next



Key highlights of Trican Capsule

- How long is the duration of effect?
 The action of this drug in the body lasts for up to 30 hours after administration.
- What is the onset of action?
 This drug starts its action within a couple of hours after oral use.
- Are there any pregnancy warnings?

This drug is extremely unsafe to be used during pregnancy. Studies carried out on humans and animals have shown significant adverse effects on the fetus. Doctor consultation is recommended in such cases.

• Is it habit forming?

It does not have addictive tendencies.

• Are there any breast-feeding warnings?

The drug should not be consumed by breastfeeding mothers as there is a higher risk of side-effects on the infant. You are suggested to consult your doctor to discuss the potential benefits and risks before taking this medicine.

• Does this affect kidney function?

Dose adjustment is needed in patients with renal impairment. Consult your doctor before taking Trican Capsule. **Dosing adjustment/interval in renal impairment:**

- No adjustment for vaginal candidiasis single-dose therapy.
- For multiple dosing, administer usual load then adjust daily doses.
- Clcr 11-50 mL/minute: Administer 50% of recommended dose or administer every 48 hours.
- **Hemodialysis:** One dose after each dialysis.
- Continuous arteriovenous or venovenous hemodiafiltration (CAVH) effects: Dose as for Clcr 10-50 mL/minute.
- Does this affect liver function?


No relevant information available. Consult your doctor before taking Trican Capsule.

• Is It safe with alcohol?

Caution is advised in consuming alcohol, if you are taking this medicine. Please consult your doctor.

• Is it safe to drive while on this medicine?

This medicine causes side effects that affect the alertness of the patients. Thus it influences the driving ability of the patient.



What are the substitutes for Trican Capsule?

Below is the list of medicines, which have the same composition, strength and form as Trican Capsule , and hence can be used as its substitute.

• Bestozol 150mg Tablet

BestoChem Formulations India Ltd

• Forcan 150Mg Tablet

Cipla Ltd

• Fluher 150mg Tablet

Yaher Pharma

• Flu 150Mg Tablet

Kinesis Pharmaceuticals Pvt Ltd

• Fsys 150Mg Tablet

Syscutis Healthcare

• Icon 150Mg Capsule

Inex Medicaments Pvt Ltd

• Ergozol 150Mg Capsule

La Renon Healthcare Pvt Ltd

• Aglocon 150Mg Tablet

Aglowmed Drugs Pvt. Ltd.

• Mycopar 150mg Tablet

Blue Cross Laboratories Ltd

• <u>Depxit Capsule</u>


Acron Pharmaceuticals

View More




What are the dosage instructions?

- Are there any missed dose instructions?
 Missed dose of this medication may be taken later unless it is already time for the next dose.
- Are there any overdose instructions?
 Seek emergency medical treatment or contact the doctor in case of an overdose.




Where is the Trican Capsule approved?

- India
- United States
- Japan



How does this medication work?

This medication works by decreasing ergosterol production by disrupting the activity of cytochrome P450, inhibiting the formation of the cell membrane of susceptible fungi like Candida and Microsporum.



What are the interactions of Trican Capsule?

Whenever you take more than one medicine, or mix it with certain foods or beverages, you"re at risk of a drug interaction.

• Interaction with Alcohol

Interaction with alcohol is unknown. It is advisable to consult your doctor before consumption.

• Interaction with Lab Test

Keep monitoring periodic liver function tests (AST, ALT, alkaline phosphatase) and renal function tests, potassium. As these might drastically be affected by the action of the Trican Capsule.

• Interaction with Medicine

• Increased effect/toxicity:


- Coadministration with terfenadine or cisapride is contraindicated; use with caution with astemizole due to increased risk of significant cardiotoxicity.
- Hydrochlorothiazide may decrease fluconazole clearance.
- Fluconazole may also inhibit warfarin, phenytoin, cyclosporine, and theophylline, zidovudine, sulfonylureas, rifabutin, and warfarin clearance.
- Nephrotoxicity of tacrolimus may be increased.
- Should be used with caution in patients receiving cisapride or astemizole.

• Interaction with Disease

Should be used with caution in patients with renal and hepatic dysfunction or previous hepatotoxicity from other azole derivatives. Patients who develop abnormal liver function tests during fluconazole therapy should be monitored closely and discontinued if symptoms consistent with liver disease develop.

Interaction with Food

No data reported



FAQs about Trican Capsule

Ques: What is Trican Capsule?

Ans: This drug decreases ergosterol production by disrupting the activity of cytochrome P450, inhibiting the formation of the cell membrane of susceptible fungi like Candida and Microsporum.

Ques: How long do I need to use Trican Capsule before I see improvement in my condition?

Ans: This medication should be consumed, until the complete eradication of the disease. Thus it is advised to use, till the time directed by your doctor. Also taking this medication longer than it was prescribed, can cause an

inadequate effect on the patient's condition.

Ques: At what frequency do I need to use Trican Capsule?

Ans: The duration of effect for this medicine is dependent on the severity of the patient's condition. Therefore the frequency of usage of this medication will vary from person to person. It is advised to follow the proper prescription of the doctor, directed according to the patient's condition.

Ques: Should I use Trican Capsule empty stomach, before food or after food?

Ans: This medication is advised to be consumed orally. The salts involved in this medication react properly if it is taken after having food. If you take it on an empty stomach, it might upset the stomach. Please consult the doctor before using it.

Ques: What are the instructions for the storage and disposal of Trican Capsule?

Ans: This medication contains salts which are suitable to store only at room temperature, as keeping this medication above or below that, can cause an inadequate effect. Protect it from moisture and light. Keep this medication away from the reach of children.

Ques: Can Trican Capsule be taken with oral contraceptives (OCPs) or birth control pills?

Ans: Trican Capsule may interact with oral contraceptives having ingredients like estradiol. Hence, consult a doctor before taking them together.

Ques: I feel better now, can I stop taking Trican Capsule?

Ans: It is important to finish the course of treatment, hence one must not stop taking this drug if they start feeling better. If you stop taking it without any doctor consultation, then it may severely affect your medical condition.

Ques: Is Trican Capsule safe to be used in pregnancy?

Ans: This drug is not suitable for pregnant women as it can harm the baby. Consult a doctor and use some other alternative to this drug.

Ques: Can Trican Capsule cause hair loss?

Ans: Hair loss is a very unusual side effect of this medicine. If you encounter this symptom, then doctor consultation is suggested.

Ques: Is Trican Capsule fungistatic or fungicidal?

Ans: Trican Capsule is a fungistatic medication and helps in inhibiting the growth or bacteria. It also functions as a fungicidal (kills fungus) medicine against some specific organisms.

Ques: Is Trican Capsule over the counter (OTC)?

Ans: No, this medication is not available as an over the counter (OTC) drug. You must only take it if this medicine is prescribed by a healthcare professional.

Ques: What if I forget to take a dose of Trican Capsule?

Ans: Take the missed dose as soon as possible, however, skip the missed dose if it is almost the time for the next dose.

Ques: Is Trican Capsule effective?

Ans: It is an effective medication, however, you must consume it in dose and duration suggested by a medical expert.

Ques: Does Trican Capsule treat bacterial vaginosis?

Ans: This drug is not helpful against bacterial vaginosis. If you are suffering from bacterial vaginosis, do not take this drug, rather talk to a doctor to start a treatment.

Ques: Does Trican Capsule make you feel tired?

Ans: Tiredness is a common side effect reported after consumption of this medicine. You may want to take rest after consuming this medicine.

Ques: Is Trican Capsule a steroid?

Ans: This medicine is not a steroid, in fact it is an antifungal drug.

Ques: Can I take Trican Capsule for yeast infection?

Ans: This medication can be taken for a yeast infection. Please consult a doctor before taking it. Disclaimer: The information produced here is best of our knowledge and experience and we have tried our best to make it as accurate and up-to-date as possible, but we would like to request that it should not be treated as a substitute for professional advice, diagnosis or treatment.

Lybrate is a medium to provide our audience with the common information on medicines and does not guarantee its accuracy or exhaustiveness. Even if there is no mention of a warning for any drug or combination, it never means that we are claiming that the drug or combination is safe for consumption without any proper consultation with an expert.

Lybrate does not take responsibility for any aspect of medicines or treatments. If you have any doubts about your medication, we strongly recommend you to see a doctor immediately.

Popular Questions & Answers

I am loosing hair quickly. Please help me. I try many of shampoo like fluconazole salt etc.





Dr.Raj Bonde MD - Homeopathy

Homeopath, Aurangabad

<u> am loosing hair quickly. Please help me. I try many of shampoo like fluconazole salt etc.</u>

Hair fall is due to many reasons now a day it is common due to stress and busy life check your haemoglobin level if less then take hamatinic any multinational company take proper diet (dal vegetables sprouts fruits) and do exercise minimum 15 min ...

Sir we used fluconazole tablets, cipzen-D and taxim-o. But no use. We used this course many times. Want permanent solution.






Dr.Purushottam Sah DGO, MBBS Sexologist, Kolkata

Sir we used fluconazole tablets, cipzen-D and taxim-o. But no use. We used this course many times. Want permanent sol...

If you mean your problem is vaginal infections then hot iron both yours undergarments daily continuously.



118 people found this helpful

Hello sir, Please advice is fluconazole or itraconazole good for treatment of chronic eczema?





Dr.Amit Patel

Diploma in Dermatology Venereology, MD - Physician

Dermatologist, Surat

Hello sir, Please advice is fluconazole or itraconazole good for treatment of chronic eczema?

Hello lybrate-user. No, fluco or itra are use for treatment of FUNGAL INFECTION, not for chronic eczema.



1 person found this helpful

HI, At what time fluconazole dispersible 150 tablet to take and before food or after food.





Dr.Prashant K Vaidya

Diploma In Gastroenterology, Diploma In Dermatology, BHMS Homeopath, Hyderabad

It is usually taken once a day, with or without food. You may need to take only one dose of fluconazole, or you may need to take fluconazole for several weeks or longer. ... Your doctor may tell you to take a double dose of fluconazole on the firs...


I have got many ringworms on my body, I have been prescribed FUNGIKEM200, and one of the other person said you can try fluconazole200 also for it.





Dr. Tanmay Palsule
MD - Homeopathy, BHMS
Homeopath, Pune

Wash and dry your skin frequently. Keeping your skin clean is the best way to prevent a ringworm infection. Dark, warm areas of your body are the spots where the fungus can grow most easily, but a ringworm infection can occur almost anywhere on yo...



1 person found this helpful View All Questions & Answers

Popular Health Tips

Vaginal Fungal Infection - The Best Way You Can Deal With It!






Dr. Aradhana Aggarwal

MS - Obstetrics & Gynaecology, Fellowship in Fetal Medicine Gynaecologist, Amritsar

Vaginal Fungal Infection - The Best Way You Can Deal With It!

Vaginal fungal infection, otherwise called candidiasis, is a typical female condition. Fungal infections are brought on by the growth Candida. This growth is connected with extreme itching, swelling, and irritation. Every fungal infection is disti...



2634 people found this helpful

Rashes in Genitals - Can it be a Sign of Vaginal Yeast Infection?






MBBS, DGO, MD, Fellowship in Gynae Oncology

IVF Specialist, Delhi

Rashes in Genitals - Can it be a Sign of Vaginal Yeast Infection?

Candidiasis or yeast Infection of the female reproductive organ is a condition caused from the fungus known as Candida

. A vaginal yeast infection is accompanied by severe itching, swelling or irritation in your vaginal region. Yeast is present in...



3066 people found this helpful

Vaginal Discharge - Complications And Risks Associated With It!






Dr.Jayanti Kamat

MBBS, MD - Obstetrics & Gynaecology, Advanced Infertility Gynaecologist, Mumbai

Vaginal Discharge - Complications And Risks Associated With It!

Vaginal discharge is a normal physiological phenomenon, in which the consistency of vaginal discharge varies throughout the cycle. Healthy vaginal discharge is clear or white in colour, with normal and non-offensive odour. Sometimes right before m...



4391 people found this helpful

Inflammation of The Vagina - Could it be Vaginitis?






<u>Dr.Jayanti Kamat</u> MBBS, MD - Obstetrics & Gynaecology, Advanced Infertility

Gynaecologist, Mumbai

Inflammation of The Vagina - Could it be Vaginitis?

Vaginitis is the inflammation of one s vagina accompanied by pain during intercourse, mild vaginal bleeding, painful urination, vaginal itching or a considerable change in the amount, odor and color of the vaginal discharge. Causes: 1. A certain l...



4811 people found this helpful

Candida Skin Infection - How It Can Be Managed?






Dr. V. Sethu Raman

MD - Dermatology , Venereology & Leprosy, MBBS Dermatologist, Chennai

Candida Skin Infection - How It Can Be Managed?

Fungal infection of the skin and mucous membranes is very common. The most common species of fungus causing these infections is Candida albicans. They are present in abundance in the skin and mucous membranes and have a protective function. Howeve...



4773 people found this helpful

View All Health Tips

Table of Content

About Trican Capsule

What are the uses of Trican Capsule

What are the contraindications of Trican Capsule?

What are the side effects of Trican Capsule?

Key highlights of Trican Capsule

What are the substitutes for Trican Capsule?

What are the dosage instructions?

Where is the Trican Capsule approved?

How does this medication work?

What are the interactions of Trican Capsule?

FAQs about Trican Capsule


Book appointment with

Top Internal Medicine Specialist in Delhi Top Internal Medicine Specialist in Mumbai Top Internal Medicine Specialist in Gurgaon Top Internal Medicine Specialist in Pune Top Internal Medicine Specialist in Kolkata Top Internal Medicine Specialist in Bangalore Top Internal Medicine Specialist in Chennai Top Internal Medicine Specialist in Hyderabad



Ask a FREE Question

Get FREE multiple opinions from Doctors



Posted anonymously Submit



<u>Home</u> > <u>Medicines</u> > Trican Capsule

- Search Health Products
- Goodkart
- Vitamin and Supplement
- Protein and Fitness
- Skin and Hair Care
- Sexual Wellness
- Weight Management
- Food and Drink
- Personal Care
- Child Care
- GoodBox
- Search doctors
- Search doctors by city
- Search doctors by City Locality
- Search doctors by speciality
- Search doctors by city speciality
- Read Health Articles
- Health Wiki
- Health Tips Index
- Health Questions Index
- Health Quizzes Index
- Health Topics Index
- Medicines Index
- Ailment Index
- <u>Lab Test Details Index</u>
- Read about Lybrate
- About Us
- Contact Us
- Careers
- Mobile Apps
- Blog
- Terms of Use

- Privacy Policy
- Editorial Policy
- Press
- Social
- •
- •
- •
- •
- Download App



