

Similar articles for PMID: 9007033

169 results

Page 1 of 1

- 1 **Cochlear protection from carbon monoxide exposure by free radical blockers in the guinea pig.**
Fechter LD, Liu Y, Pearce TA.
Toxicol Appl Pharmacol. 1997 Jan;142(1):47-55. doi: 10.1006/taap.1996.8027.
PMID: 9007033
- 2 **Protective effects of phenyl-N-tert-butyl nitron on the potentiation of noise-induced hearing loss by carbon monoxide.**
Rao D, Fechter LD.
Toxicol Appl Pharmacol. 2000 Sep 1;167(2):125-31. doi: 10.1006/taap.2000.8995.
PMID: 10964763
- 3 **Neuroprotection by 2-h postischemia administration of two free radical scavengers, alpha-phenyl-n-tert-butyl-nitron (PBN) and N-tert-butyl-(2-sulfophenyl)-nitron (S-PBN), in rats subjected to focal embolic cerebral ischemia.**
Yang Y, Li Q, Shuaib A.
Exp Neurol. 2000 May;163(1):39-45. doi: 10.1006/exnr.2000.7364.
PMID: 10785442
- 4 **Comparison of neuroprotective effects induced by alpha-phenyl-N-tert-butyl nitron (PBN) and N-tert-butyl-alpha-(2-sulfophenyl) nitron (S-PBN) in lithium-pilocarpine status epilepticus.**
Peterson SL, Purvis RS, Griffith JW.
Neurotoxicology. 2005 Dec;26(6):969-79. doi: 10.1016/j.neuro.2005.04.002.
PMID: 15890407
- 5 **Effect of superoxide dismutase and allopurinol on impulse noise-exposed guinea pigs--electrophysiological and biochemical study.**
Cassandro E, Sequino L, Mondola P, Attanasio G, Barbara M, Filipo R.
Acta Otolaryngol. 2003 Sep;123(7):802-7.
PMID: 14575394
- 6 **[Protective effect of allopurinol in the exposure to noise pulses].**
Attanasio G, Cassandro E, Sequino L, Mafera B, Mondola P.
Acta Otorhinolaryngol Ital. 1999 Feb;19(1):6-11.
PMID: 10418186 Italian.
- 7 **Combination therapy with MK-801 and alpha-phenyl-tert-butyl-nitron enhances protection against ischemic neuronal damage in organotypic hippocampal slice cultures.**
Barth A, Barth L, Newell DW.
Exp Neurol. 1996 Oct;141(2):330-6. doi: 10.1006/exnr.1996.0168.
PMID: 8812169
- 8 **In vivo neuroprotective effects of the novel imidazolyl nitron free-radical scavenger (Z)-alpha-[2-thiazol-2-yl]imidazol-4-yl]-N-tert-butyl nitron (S34176).**
Lockhart B, Roger A, Bonhomme N, Goldstein S, Lestage P.
Eur J Pharmacol. 2005 Mar 28;511(2-3):127-36. doi: 10.1016/j.ejphar.2005.01.043.
PMID: 15792780
- 9 **Effects of alpha-phenyl-N-tert-butyl nitron and N-acetylcysteine on hydroxyl radical formation and dopamine depletion in the rat striatum produced by d-amphetamine.**
Wan FJ, Tung CS, Shiah IS, Lin HC.
Eur Neuropsychopharmacol. 2006 Feb;16(2):147-53. doi: 10.1016/j.euroneuro.2005.07.002. Epub 2005 Aug 2.
PMID: 16061357

- 10 [MK-801 protects against carbon monoxide-induced hearing loss.](#)
Liu Y, Fechter LD.
Toxicol Appl Pharmacol. 1995 Jun;132(2):196-202. doi: 10.1006/taap.1995.1099.
PMID: 7785048
- 11 [Differential ototoxicities induced by lead acetate and tetraethyl lead.](#)
Tuncel U, Clerici WJ, Jones RO.
Hear Res. 2002 Apr;166(1-2):113-23. doi: 10.1016/s0378-5955(02)00303-9.
PMID: 12062763
- 12 [The role of superoxide dismutase and alpha-tocopherol in the development of seizures and kindling induced by pentylenetetrazol - influence of the radical scavenger alpha-phenyl-N-tert-butyl nitron.](#)
Rauca C, Wiswedel I, Zerbe R, Keilhoff G, Krug M.
Brain Res. 2004 May 29;1009(1-2):203-12. doi: 10.1016/j.brainres.2004.01.082.
PMID: 15120598
- 13 [Ebselen prevents noise-induced excitotoxicity and temporary threshold shift.](#)
Yamasoba T, Pourbakht A, Sakamoto T, Suzuki M.
Neurosci Lett. 2005 Jun 3;380(3):234-8. doi: 10.1016/j.neulet.2005.01.047. Epub 2005 Feb 1.
PMID: 15862892
- 14 [Neuroprotection of alpha-phenyl-n-tert-butyl-nitron on the neonatal white matter is associated with anti-inflammation.](#)
Lin S, Cox HJ, Rhodes PG, Cai Z.
Neurosci Lett. 2006 Sep 11;405(1-2):52-6. doi: 10.1016/j.neulet.2006.06.063. Epub 2006 Jul 28.
PMID: 16876321
- 15 [Candidate's thesis: enhancing intrinsic cochlear stress defenses to reduce noise-induced hearing loss.](#)
Kopke RD, Coleman JK, Liu J, Campbell KC, Riffenburgh RH.
Laryngoscope. 2002 Sep;112(9):1515-32. doi: 10.1097/00005537-200209000-00001.
PMID: 12352659
- 16 [Reduction of acute cisplatin ototoxicity and nephrotoxicity in rats by oral administration of allopurinol and ebselen.](#)
Lynch ED, Gu R, Pierce C, Kil J.
Hear Res. 2005 Mar;201(1-2):81-9. doi: 10.1016/j.heares.2004.08.002.
PMID: 15721563
- 17 [Effectiveness of 4-hydroxy phenyl N-tert-butyl nitron \(4-OHPBN\) alone and in combination with other antioxidant drugs in the treatment of acute acoustic trauma in chinchilla.](#)
Choi CH, Chen K, Vasquez-Weldon A, Jackson RL, Floyd RA, Kopke RD.
Free Radic Biol Med. 2008 May 1;44(9):1772-84. doi: 10.1016/j.freeradbiomed.2008.02.005. Epub 2008 Feb 20.
PMID: 18328271
- 18 [Correlation of increased activities of Na⁺, K⁺-ATPase and Ca²⁺-ATPase with the reversal of cisplatin ototoxicity induced by D-methionine in guinea pigs.](#)
Cheng PW, Liu SH, Hsu CJ, Lin-Shiau SY.
Hear Res. 2005 Jul;205(1-2):102-9. doi: 10.1016/j.heares.2005.03.008.
PMID: 15953519
- 19 [Protective effects of a cyclic nitron antioxidant in animal models of endotoxic shock and chronic bacteremia.](#)
French JF, Thomas CE, Downs TR, Ohlweiler DF, Carr AA, Dage RC.
Circ Shock. 1994 Jul;43(3):130-6.
PMID: 7850933
- 20 [Mechanism of protection from light-induced retinal degeneration by the synthetic antioxidant phenyl-N-tert-butyl nitron.](#)
Tomita H, Kotake Y, Anderson RE.
Invest Ophthalmol Vis Sci. 2005 Feb;46(2):427-34. doi: 10.1167/iovs.04-0946.

PMID: 15671265

- 21 [Allopurinol attenuates endolymphatic hydrops in the guinea pig cochlea.](#)
Shinomori Y, Kimura RS.
ORL J Otorhinolaryngol Relat Spec. 2001 Sep-Oct;63(5):267-71. doi: 10.1159/000055756.
PMID: 11528268
- 22 [Hearing loss of a central type secondary to carbon monoxide poisoning.](#)
Makishima K, Keane WM, Vernose GV, Snow JB Jr.
Trans Sect Otolaryngol Am Acad Ophthalmol Otolaryngol. 1977 Mar-Apr;84(2):452-7.
PMID: 898515
- 23 [Protection against aminoglycoside otic drop-induced ototoxicity by a spin trap: I. Acute effects.](#)
Hester TO, Jones RO, Clerici WJ.
Otolaryngol Head Neck Surg. 1998 Dec;119(6):581-7. doi: 10.1016/S0194-5998(98)70015-4.
PMID: 9852529
- 24 [Effects of the nitron radical scavengers PBN and S-PBN on in vivo trapping of reactive oxygen species after traumatic brain injury in rats.](#)
Marklund N, Lewander T, Clausen F, Hillered L.
J Cereb Blood Flow Metab. 2001 Nov;21(11):1259-67. doi: 10.1097/00004647-200111000-00002.
PMID: 11702041
- 25 [Posthypoxic reoxygenation-induced neurotoxicity prevented by free radical scavenger and NMDA/non-NMDA antagonist in tandem as revealed by dynamic changes in glucose metabolism with positron autoradiography.](#)
Murata T, Omata N, Fujibayashi Y, Waki A, Sadato N, Yoshimoto M, Wada Y, Yonekura Y.
Exp Neurol. 2000 Aug;164(2):269-79. doi: 10.1006/exnr.2000.7398.
PMID: 10915566
- 26 [In vivo protective effect of ferulic acid against noise-induced hearing loss in the guinea-pig.](#)
Fetoni AR, Mancuso C, Eramo SL, Ralli M, Piacentini R, Barone E, Paludetti G, Troiani D.
Neuroscience. 2010 Sep 15;169(4):1575-88. doi: 10.1016/j.neuroscience.2010.06.022. Epub 2010 Jun 20.
PMID: 20600667
- 27 [Does xanthine oxidase contribute to the hydroxyl radical generation in ischemia and reperfusion of the cochlea?](#)
Tabuchi K, Tsuji S, Ito Z, Hara A, Kusakari J.
Hear Res. 2001 Mar;153(1-2):1-6. doi: 10.1016/s0378-5955(00)00247-1.
PMID: 11223291
- 28 [The protective effects of allopurinol and superoxide dismutase on noise-induced cochlear damage.](#)
Seidman MD, Shivapuja BG, Quirk WS.
Otolaryngol Head Neck Surg. 1993 Dec;109(6):1052-6. doi: 10.1177/019459989310900613.
PMID: 8265189
- 29 [Electron spin resonance spectroscopy reveals alpha-phenyl-N-tert-butyl nitron spin-traps free radicals in rat striatum and prevents haloperidol-induced vacuous chewing movements in the rat model of human tardive dyskinesia.](#)
Rogoza RM, Fairfax DF, Henry P, N-Marandi S, Khan RF, Gupta SK, Mishra RK.
Synapse. 2004 Dec 1;54(3):156-63. doi: 10.1002/syn.20078.
PMID: 15452862
- 30 [Neuroprotective effects of T-817MA against noise-induced hearing loss.](#)
Yamashita D, Shiotani A, Kanzaki S, Nakagawa M, Ogawa K.
Neurosci Res. 2008 May;61(1):38-42. doi: 10.1016/j.neures.2008.01.009. Epub 2008 Jan 29.
PMID: 18343519

- [Caspase inhibitor facilitates recovery of hearing by protecting the cochlear lateral wall from acute cochlear mitochondrial dysfunction.](#)
Mizutari K, Matsunaga T, Kamiya K, Fujinami Y, Fujii M, Ogawa K.
J Neurosci Res. 2008 Jan;86(1):215-22. doi: 10.1002/jnr.21470.
PMID: 17722114
- 32 [Free radical scavenger posttreatment improves functional and morphological outcome after fluid percussion injury in the rat.](#)
Marklund N, Clausen F, McIntosh TK, Hillered L.
J Neurotrauma. 2001 Aug;18(8):821-32. doi: 10.1089/089771501316919184.
PMID: 11526988
- 33 [In vivo evidence for free radical involvement in the degeneration of rat brain 5-HT following administration of MDMA \('ecstasy'\) and p-chloroamphetamine but not the degeneration following fenfluramine.](#)
Colado MI, O'Shea E, Granados R, Murray TK, Green AR.
Br J Pharmacol. 1997 Jul;121(5):889-900. doi: 10.1038/sj.bjp.0701213.
PMID: 9222545 [Free PMC article.](#)
- 34 [Effects of glucocorticoid receptor antagonist on CAPs threshold shift due to short-term sound exposure in guinea pigs.](#)
Mori T, Fujimura K, Yoshida M, Suzuki H.
Auris Nasus Larynx. 2004 Dec;31(4):395-9. doi: 10.1016/j.anl.2004.09.008.
PMID: 15571913
- 35 [The clinical free radical scavenger, edaravone, protects cochlear hair cells from acoustic trauma.](#)
Takemoto T, Sugahara K, Okuda T, Shimogori H, Yamashita H.
Eur J Pharmacol. 2004 Mar 8;487(1-3):113-6. doi: 10.1016/j.ejphar.2004.01.019.
PMID: 15033382
- 36 [Hydrogen as a novel and effective treatment of acute carbon monoxide poisoning.](#)
Shen M, He J, Cai J, Sun Q, Sun X, Huo Z.
Med Hypotheses. 2010 Aug;75(2):235-7. doi: 10.1016/j.mehy.2010.02.029. Epub 2010 Mar 29.
PMID: 20347528 [Review.](#)
- 37 [Free radical generation in the cochlea during combined exposure to noise and carbon monoxide: an electrophysiological and an EPR study.](#)
Rao DB, Moore DR, Reinke LA, Fechter LD.
Hear Res. 2001 Nov;161(1-2):113-22. doi: 10.1016/s0378-5955(01)00366-5.
PMID: 11744287
- 38 [Neuroprotective effects of nitron radical scavenger S-PBN on reperfusion nerve injury in rats.](#)
Gray C, Nukada H, Jackson DM, McMorran PD, Wu A, Ma F.
Brain Res. 2003 Aug 29;982(2):179-85. doi: 10.1016/s0006-8993(03)03006-3.
PMID: 12915253
- 39 [Effects of carbon monoxide on cochlear electrophysiology and blood flow.](#)
Fechter LD, Thorne PR, Nuttall AL.
Hear Res. 1987;27(1):37-45. doi: 10.1016/0378-5955(87)90024-4.
PMID: 3583935 [Free article.](#)
- 40 [Effects of superoxide dismutase and U74389G on acute trimethyltin-induced cochlear dysfunction.](#)
Clerici WJ.
Toxicol Appl Pharmacol. 1996 Feb;136(2):236-42. doi: 10.1006/taap.1996.0030.
PMID: 8619231
- 41 [Role of xanthine oxidase inhibition in survival from hemorrhagic shock.](#)
Mannion D, Fitzpatrick GJ, Feeley M.

- Circ Shock. 1994 Jan;42(1):39-43.
PMID: 8149508
- 42 [Leukocytes in carbon monoxide-mediated brain oxidative injury.](#)
Thom SR.
Toxicol Appl Pharmacol. 1993 Dec;123(2):234-47. doi: 10.1006/taap.1993.1242.
PMID: 8248931
- 43 [Direct effects of intraperilymphatic reactive oxygen species generation on cochlear function.](#)
Clerici WJ, Yang L.
Hear Res. 1996 Nov 1;101(1-2):14-22. doi: 10.1016/s0378-5955(96)00126-8.
PMID: 8951429
- 44 [Neuroprotective effects of pterin-6-aldehyde in gerbil global brain ischemia: comparison with those of alpha-phenyl-N-tert-butyl nitron.](#)
Mori H, Arai T, Ishii H, Adachi T, Endo N, Makino K, Mori K.
Neurosci Lett. 1998 Jan 30;241(2-3):99-102. doi: 10.1016/s0304-3940(98)00010-x.
PMID: 9507930
- 45 [Role of free radical scavengers in the management of refractory duodenal ulceration. A new approach.](#)
Salim AS.
J Surg Res. 1994 Jan;56(1):45-52. doi: 10.1006/jsre.1994.1008.
PMID: 8277768 Clinical Trial.
- 46 [MPTP-induced deficits in motor activity: neuroprotective effects of the spintrapping agent, alpha-phenyl-tert-butyl-nitron \(PBN\).](#)
Fredriksson A, Eriksson P, Archer T.
J Neural Transm (Vienna). 1997;104(6-7):579-92. doi: 10.1007/BF01291877.
PMID: 9444559
- 47 [Failure of allopurinol and a spin trapping agent N-t-butyl-alpha-phenyl nitron to modify significantly ischaemia and reperfusion-induced arrhythmias.](#)
Parratt JR, Wainwright CL.
Br J Pharmacol. 1987 May;91(1):49-59. doi: 10.1111/j.1476-5381.1987.tb08982.x.
PMID: 3594082 [Free PMC article.](#)
- 48 [Effects of a free radical scavenger N-tert-butyl-alpha-phenylnitron \(PBN\) on short-term recovery of immature rats after status epilepticus.](#)
Rejchrtová J, Kubová H, Druga R, Mares P, Folbergrová J.
Physiol Res. 2005;54(2):215-27.
PMID: 15544425 [Free article.](#)
- 49 [Marked elevation in cortical urate and xanthine oxidoreductase activity in experimental bacterial meningitis.](#)
Christen S, Bifrare YD, Siegenthaler C, Leib SL, Täuber MG.
Brain Res. 2001 May 11;900(2):244-51. doi: 10.1016/s0006-8993(01)02311-3.
PMID: 11334804
- 50 [Oxidative mechanisms involved in kainate-induced cytotoxicity in cortical neurons.](#)
Cheng Y, Sun AY.
Neurochem Res. 1994 Dec;19(12):1557-64. doi: 10.1007/BF00969006.
PMID: 7877729
- 51 [Early effects on restoration of evoked field potentials in the hippocampal CA\(1\) region after reversible hypoxia/hypoglycemia by the radical scavenger N-tert.-butyl-alpha-phenylnitron.](#)
Rüthrich HL, Krug M.
Brain Res. 2001 Dec 13;922(1):153-7. doi: 10.1016/s0006-8993(01)03163-8.

PMID: 11730715

- 52 [Allopurinol reduces severity of delayed neurologic sequelae in experimental carbon monoxide toxicity in rats.](#)
Dong G, Ren M, Wang X, Jiang H, Yin X, Wang S, Wang X, Feng H.
Neurotoxicology. 2015 May;48:171-9. doi: 10.1016/j.neuro.2015.03.015. Epub 2015 Apr 4.
PMID: 25845300
- 53 [Allopurinol as a cardiovascular drug.](#)
Kelkar A, Kuo A, Frishman WH.
Cardiol Rev. 2011 Nov-Dec;19(6):265-71. doi: 10.1097/CRD.0b013e318229a908.
PMID: 21983313 Review.
- 54 [Nitronone-related therapeutics: potential of NXY-059 for the treatment of acute ischaemic stroke.](#)
Maples KR, Green AR, Floyd RA.
CNS Drugs. 2004;18(15):1071-84. doi: 10.2165/00023210-200418150-00003.
PMID: 15581379 Review.
- 55 [Effect over time of allopurinol on noise-induced hearing loss in guinea pigs.](#)
Franzé A, Sequino L, Saulino C, Attanasio G, Marciano E.
Int J Audiol. 2003 Jun;42(4):227-34. doi: 10.3109/14992020309101318.
PMID: 12790348
- 56 [The protective effects of allopurinol and superoxide dismutase-polyethylene glycol on ischemic and reperfusion-induced cochlear damage.](#)
Seidman MD, Quirk WS, Nuttall AL, Schweitzer VG.
Otolaryngol Head Neck Surg. 1991 Sep;105(3):457-63. doi: 10.1177/019459989110500318.
PMID: 1945435
- 57 [Comparisons of the acute effects of I.V. furosemide and bumetanide on the cochlear action potential \(N1\) and on the A.C. cochlear potential \(CM\) at 6 KHz in cats, dogs and guinea pigs.](#)
Brown RD.
Scand Audiol Suppl. 1981;14 Suppl:71-83.
PMID: 6949287 No abstract available.
- 58 [Sartran preserves cochlear microcirculation and reduces temporary threshold shifts after noise exposure.](#)
Goldwin B, Khan MJ, Shivapuja B, Seidman MD, Quirk WS.
Otolaryngol Head Neck Surg. 1998 May;118(5):576-83. doi: 10.1177/019459989811800503.
PMID: 9591853
- 59 [Allopurinol neurocardiac protection trial in infants undergoing heart surgery using deep hypothermic circulatory arrest.](#)
Clancy RR, McGaurn SA, Goin JE, Hirtz DG, Norwood WI, Gaynor JW, Jacobs ML, Wernovsky G, Mahle WT, Murphy JD, Nicolson SC, Steven JM, Spray TL.
Pediatrics. 2001 Jul;108(1):61-70. doi: 10.1542/peds.108.1.61.
PMID: 11433055 Clinical Trial.
- 60 [Oxygen free radical generation in healthy blood donors and cardiac patients: the protective effect of allopurinol.](#)
Belboul A, Roberts D, Börjesson R, Johnsson J.
Perfusion. 2001 Jan;16(1):59-65. doi: 10.1177/026765910101600109.
PMID: 11192309
- 61 [Synthesis, antioxidant properties and neuroprotection of \$\alpha\$ -phenyl-tert-butyl nitronone derived HomoBisNitrones in in vitro and in vivo ischemia models.](#)
Chamorro B, Diez-Iriepa D, Merás-Sáiz B, Chioua M, García-Vieira D, Iriepa I, Hadjipavlou-Litina D, López-Muñoz F, Martínez-Murillo R, González-Nieto D, Fernández I, Marco-Contelles J, Oset-Gasque MJ.
Sci Rep. 2020 Aug 25;10(1):14150. doi: 10.1038/s41598-020-70690-y.
PMID: 32843666 [Free PMC article.](#)

- 62 [Rapid target allopurinol concentrations in the hypoxic fetus after maternal administration during labour.](#)
Kaandorp JJ, van den Broek MP, Benders MJ, Oudijk MA, Porath MM, Bambang Oetomo S, Wouters MG, van Elburg R, Franssen MT, Bos AF, Mol BW, Visser GH, van Bel F, Rademaker CM, Derks JB; ALLO-trial Study Group.
Arch Dis Child Fetal Neonatal Ed. 2014 Mar;99(2):F144-8. doi: 10.1136/archdischild-2013-304876. Epub 2013 Dec 18.
PMID: 24352085 Clinical Trial.
- 63 [Effects of phenyl N-tert-butyl nitron and its derivatives on the early phase of hepatocarcinogenesis in rats fed a choline-deficient, L-amino acid-defined diet.](#)
Nakae D, Kishida H, Enami T, Konishi Y, Hensley KL, Floyd RA, Kotake Y.
Cancer Sci. 2003 Jan;94(1):26-31. doi: 10.1111/j.1349-7006.2003.tb01347.x.
PMID: 12708470 [Free article](#).
- 64 [Allopurinol: Old Drug, New Indication in Neonates?](#)
Annink KV, Franz AR, Derks JB, Rudiger M, Bel FV, Benders MJNL.
Curr Pharm Des. 2017;23(38):5935-5942. doi: 10.2174/1381612823666170918123307.
PMID: 28925896 Review.
- 65 [\[Effects of injectio Salvia miltiorrhiza on gentamicin-induced free radical formation in guinea pig cochlea\].](#)
Wang AM, Tang H, Shen J, Cui C.
Zhongguo Ying Yong Sheng Li Xue Za Zhi. 2004 Nov;20(4):406-9.
PMID: 21158129 Chinese.
- 66 [Xanthine oxidase is involved in free radical production in type 1 diabetes: protection by allopurinol.](#)
Desco MC, Asensi M, Márquez R, Martínez-Valls J, Vento M, Pallardó FV, Sastre J, Viña J.
Diabetes. 2002 Apr;51(4):1118-24. doi: 10.2337/diabetes.51.4.1118.
PMID: 11916934 Clinical Trial.
- 67 [Outer hair cells functionally and structurally deteriorate during reperfusion.](#)
Tabuchi K, Tsuji S, Fujihira K, Oikawa K, Hara A, Kusakari J.
Hear Res. 2002 Nov;173(1-2):153-63. doi: 10.1016/s0378-5955(02)00349-0.
PMID: 12372643
- 68 [The protective effects of tirilad mesylate \(U74006F\) on ischemic and reperfusion-induced cochlear damage.](#)
Seidman MD, Quirk WS.
Otolaryngol Head Neck Surg. 1991 Oct;105(4):511-6. doi: 10.1177/019459989110500402.
PMID: 1762789
- 69 [Variable efficacy of radical scavengers and iron chelators to attenuate gentamicin ototoxicity in guinea pig in vivo.](#)
Song BB, Schacht J.
Hear Res. 1996 May;94(1-2):87-93. doi: 10.1016/0378-5955(96)00003-2.
PMID: 8789814
- 70 [Disruption of cochlear potentials by chemical asphyxiants. Cyanide and carbon monoxide.](#)
Tawackoli W, Chen GD, Fechter LD.
Neurotoxicol Teratol. 2001 Mar-Apr;23(2):157-65. doi: 10.1016/s0892-0362(01)00135-0.
PMID: 11348833
- 71 [Prevention of postasphyxial increase in lipid peroxides and retinal function deterioration in the newborn pig by inhibition of cyclooxygenase activity and free radical generation.](#)
Chemtob S, Roy MS, Abran D, Fernandez H, Varma DR.
Pediatr Res. 1993 Apr;33(4 Pt 1):336-40. doi: 10.1203/00006450-199304000-00006.
PMID: 8479812
- 72 [Allopurinol in renal ischemia.](#)
Prieto-Moure B, Carabén-Redaño A, Aliena-Valero A, Cejalvo D, Toledo AH, Flores-Bellver M, Martínez-Gil N, Toledo-Pereyra LH, Lloris Carsí JM.
J Invest Surg. 2014 Oct;27(5):304-16. doi: 10.3109/08941939.2014.911395. Epub 2014 Jun 10.

PMID: 24914485 Review.

- 73 [Oxygen free radical generation during in-utero hypoxia in the fetal guinea pig brain: the effects of maturity and of magnesium sulfate administration.](#)
Maulik D, Zanelli S, Numagami Y, Ohnishi ST, Mishra OP, Delivoria-Papadopoulos M.
Brain Res. 1999 Jan 30;817(1-2):117-22. doi: 10.1016/s0006-8993(98)01235-9.
PMID: 9889343
- 74 [Effects of allopurinol on free-radical-induced reduction of the proliferation of retinal pigment epithelial cells.](#)
Augustin AJ, Grus FH, Hunt S.
Doc Ophthalmol. 1996-1997;93(3):231-6. doi: 10.1007/BF02569063.
PMID: 9550351
- 75 [HPN-07, a free radical spin trapping agent, protects against functional, cellular and electrophysiological changes in the cochlea induced by acute acoustic trauma.](#)
Ewert D, Hu N, Du X, Li W, West MB, Choi CH, Floyd R, Kopke RD.
PLoS One. 2017 Aug 23;12(8):e0183089. doi: 10.1371/journal.pone.0183089. eCollection 2017.
PMID: 28832600 [Free PMC article.](#)
- 76 [Role of free radicals in the mechanism of the hydrazine-induced formation of megamitochondria.](#)
Matsuhashi T, Liu X, Karbowski M, Wozniak M, Antosiewicz J, Wakabayashi T.
Free Radic Biol Med. 1997;23(2):285-93. doi: 10.1016/s0891-5849(96)00616-8.
PMID: 9199891
- 77 [Ototoxicity of kanamycin in developing guinea pigs. An electrophysiological study.](#)
Dumas G, Charachon R.
Acta Otolaryngol. 1982 Sep-Oct;94(3-4):203-12. doi: 10.3109/00016488209128906.
PMID: 7148437
- 78 [\[Effect of ligustrazine on kanamycin ototoxicity\].](#)
She WD, Chen ZH.
Zhongguo Zhong Xi Yi Jie He Za Zhi. 1995 Oct;15(10):609-11.
PMID: 8704428 Chinese.
- 79 [Ischemia-reperfusion injury after relief of ureteral obstruction: an animal study.](#)
Downey P, Tolley DA, Johnston SR, Young M.
J Endourol. 2001 Mar;15(2):209-11. doi: 10.1089/089277901750134647.
PMID: 11325095
- 80 [Nitrones as neuroprotective agents in cerebral ischemia, with particular reference to NXY-059.](#)
Green AR, Ashwood T, Odergren T, Jackson DM.
Pharmacol Ther. 2003 Dec;100(3):195-214. doi: 10.1016/j.pharmthera.2003.07.003.
PMID: 14652110 Review.
- 81 [\[Topics of the brain protection in neonate, which has been your better choice, the brain hypothermia or the medicine?\].](#)
Shimizu M.
No To Hattatsu. 2009 Mar;41(2):111-7.
PMID: 19517775 Review. Japanese. No abstract available.
- 82 [Effect of catalase and/or allopurinol, or N-t-butyl-alpha-phenylnitronone on hepatic ischemia.](#)
Chiu C, Toledo-Pereyra LH.
Transplant Proc. 1987 Feb;19(1 Pt 2):1077-9.
PMID: 3274280 No abstract available.
- 83 [Heart failure, oxidative stress and allopurinol.](#)
Biagi P, Abate L.

- Monaldi Arch Chest Dis. 2005 Mar;64(1):33-7. doi: 10.4081/monaldi.2005.609.
PMID: 16128162 Review.
- 84 [Hydrogen sulfide as an effective and specific novel therapy for acute carbon monoxide poisoning.](#)
Yu YP, Li ZG, Wang DZ, Zhan X, Shao JH.
Biochem Biophys Res Commun. 2011 Jan 7;404(1):6-9. doi: 10.1016/j.bbrc.2010.11.113. Epub 2010 Dec 3.
PMID: 21130739 Review.
- 85 [Carbon monoxide exposure potentiates high-frequency auditory threshold shifts induced by noise.](#)
Young JS, Upchurch MB, Kaufman MJ, Fechter LD.
Hear Res. 1987;26(1):37-43. doi: 10.1016/0378-5955(87)90034-7.
PMID: 3558142
- 86 [\[Effect of phenyl-tert-butyl nitron, mexidol and nooglutil on the ischemic lesion zone and memory in rats following middle cerebral artery occlusion\].](#)
Povarova OV, Garibova TL, Kalenikova EI, Galaeva IP, Kraïneva VA, Medvedev OS, Voronina TA.
Eksp Klin Farmakol. 2004 Jan-Feb;67(1):3-6.
PMID: 15079898 Russian.
- 87 [Combined antibiotic and free radical trap treatment is effective at combating Staphylococcus-aureus-induced septic arthritis.](#)
Sakinienė E, Collins LV.
Arthritis Res. 2002;4(3):196-200. doi: 10.1186/ar406. Epub 2002 Jan 15.
PMID: 12010570 [Free PMC article.](#)
- 88 [Deleterious Ca-independent NOS activity after oxidative stress in rat striatum.](#)
Lecanu L, Margail I, Boughali H, Cohen-Tenoudji B, Boulu RG, Plotkine M.
Neuroreport. 1998 Feb 16;9(3):559-63. doi: 10.1097/00001756-199802160-00032.
PMID: 9512406
- 89 [Protective effects of free radical inhibitors in intracerebral hemorrhage in rat.](#)
Peeling J, Yan HJ, Chen SG, Campbell M, Del Bigio MR.
Brain Res. 1998 Jun 8;795(1-2):63-70. doi: 10.1016/s0006-8993(98)00253-4.
PMID: 9622595
- 90 [\[Prevention of early forms of drug-induced experimental ototoxicosis\].](#)
Khanamirian RM, Dunaïvitser BI.
Vestn Otorinolaringol. 1983 Mar-Apr;(3):28-31.
PMID: 6868265 Russian. No abstract available.
- 91 [Allopurinol protects enterocytes from hypoxia-induced apoptosis in vivo.](#)
Albuquerque RG, Sanson AJ, Malangoni MA.
J Trauma. 2002 Sep;53(3):415-20; discussion 420-1. doi: 10.1097/00005373-200209000-00003.
PMID: 12352473
- 92 [\[Allopurinol and its role in the treatment of sarcopenia\].](#)
Ferrando B, Olaso-Gonzalez G, Sebastia V, Viosca E, Gomez-Cabrera MC, Viña J.
Rev Esp Geriatr Gerontol. 2014 Nov-Dec;49(6):292-8. doi: 10.1016/j.regg.2014.05.001. Epub 2014 Aug 15.
PMID: 25131431 Review. Spanish.
- 93 [Aminoglycoside ototoxicity: prevention in sight?](#)
Schacht J.
Otolaryngol Head Neck Surg. 1998 May;118(5):674-7. doi: 10.1177/019459989811800518.
PMID: 9591868 Review.
- 94 [\[An electrophysiological study of the oxytocin antagonism on the ototoxic effects of ethacrynic acid\].](#)

- Dong W.
Zhonghua Er Bi Yan Hou Ke Za Zhi. 1988;23(1):14-6.
PMID: 3153717 Chinese. No abstract available.
- 95 [\[Hypoxidosis of the cochlea due to carbon monoxide\].](#)
Kittel G.
Aktuelle Otorhinolaryngol. 1969;1:1-52.
PMID: 4108917 German. No abstract available.
- 96 [Respirator use and protection from exposure to carbon monoxide.](#)
Levine MS.
Am Ind Hyg Assoc J. 1979 Sep;40(9):832-4. doi: 10.1080/15298667991430361.
PMID: 517443
- 97 [\[Experiments on the medicamental treatment of the noise-induced cochlear damage. Part I. The effect of dipyridamol and allopurinol on the RMP of the cochlea \(guinea pig\) after noise \(author's transl\)\].](#)
Bergmann K.
Arch Otorhinolaryngol. 1976 Jul 20;212(3):171-7. doi: 10.1007/BF00456694.
PMID: 989730 German.
- 98 [Nitrones, their value as therapeutics and probes to understand aging.](#)
Floyd RA, Hensley K, Forster MJ, Kelleher-Andersson JA, Wood PL.
Mech Ageing Dev. 2002 Apr 30;123(8):1021-31. doi: 10.1016/s0047-6374(01)00385-2.
PMID: 12044951 Review.
- 99 [\[Protective properties of nicotinamide and cytochrome C in aminoglycoside ototoxicosis\].](#)
Bakaï EA, Neschetnaia LB.
Fiziol Zh (1978). 1983 Jan-Feb;29(1):68-73.
PMID: 6299811 Russian. No abstract available.
- 100 [Protective effect of allopurinol on bronchiolar constriction induced by histamine.](#)
Nishida Y, Akaoka I, Nishizawa T.
J Med. 1976;7(3-4):275-81.
PMID: 1070513
- 101 [The contribution of phospholipase A2 to the cochlear dysfunction induced by transient ischemia.](#)
Tabuchi K, Ito Z, Tsuji S, Wada T, Takahashi K, Hara A, Kusakari J.
Hear Res. 2000 Jun;144(1-2):1-7. doi: 10.1016/s0378-5955(00)00038-1.
PMID: 10831860
- 102 [Trimethyltin ototoxicity: evidence for a cochlear site of injury.](#)
Fechter LD, Young JS, Nuttall AL.
Hear Res. 1986;23(3):275-82. doi: 10.1016/0378-5955(86)90116-4.
PMID: 3745026 [Free article.](#)
- 103 [Free radical scavengers vitamins A, C, and E plus magnesium reduce noise trauma.](#)
Le Prell CG, Hughes LF, Miller JM.
Free Radic Biol Med. 2007 May 1;42(9):1454-63. doi: 10.1016/j.freeradbiomed.2007.02.008. Epub 2007 Feb 20.
PMID: 17395018 [Free PMC article.](#)
- 104 [Nucleobase-Derived Nitrones: Synthesis and Antioxidant and Neuroprotective Activities in an In Vitro Model of Ischemia-Reperfusion.](#)
Chamorro B, Głowacka IE, Gotkowska J, Gulej R, Hadjipavlou-Litina D, López-Muñoz F, Marco-Contelles J, Piotrowska DG, Oset-Gasque MJ.
Int J Mol Sci. 2022 Mar 21;23(6):3411. doi: 10.3390/ijms23063411.
PMID: 35328832 [Free PMC article.](#)

- 105 [Attenuation of aminoglycoside-induced cochlear damage with the metabolic antioxidant alpha-lipoic acid.](#)
Conlon BJ, Aran JM, Erre JP, Smith DW.
Hear Res. 1999 Feb;128(1-2):40-4. doi: 10.1016/s0378-5955(98)00195-6.
PMID: 10082281
- 106 [Free radical-dependent changes in constitutive Nuclear factor kappa B in the aged hippocampus.](#)
Kaufmann JA, Bickford PC, Tagliatalata G.
Neuroreport. 2002 Oct 28;13(15):1917-20. doi: 10.1097/00001756-200210280-00017.
PMID: 12395091
- 107 [Cellular mechanisms of hypoxic injury in the developing brain.](#)
Mishra OP, Delivoria-Papadopoulos M.
Brain Res Bull. 1999 Feb;48(3):233-8. doi: 10.1016/s0361-9230(98)00170-1.
PMID: 10229330 Review.
- 108 [\[Effect of short-lasting deafness on the microphonic potential of the guinea pig and an attempt at the pharmacological influencing of this effect\].](#)
Faltýnek L.
Sb Ved Pr Lek Fak Karlovy Univerzity Hradci Kralove. 1965;8(3):269-89.
PMID: 5216169 Czech. No abstract available.
- 109 [Topical aminoglycoside ototoxicity: attempting to protect the cochlea.](#)
Conlon BJ, Smith DW.
Acta Otolaryngol. 2000 Aug;120(5):596-9. doi: 10.1080/000164800750000397.
PMID: 11039868
- 110 [\[On the problem of carbon monoxide effect on the microphonics and sum of action potentials of the guinea pig cochlea\].](#)
Freigang B, Seidel P, Flach M.
Arch Klin Exp Ohren Nasen Kehlkopfheilkd. 1968;190(1):24-35.
PMID: 5666704 German. No abstract available.
- 111 [Protective effect of melatonin in a model of traumatic brain injury in mice.](#)
Mésenge C, Margail I, Verrecchia C, Allix M, Boulu RG, Plotkine M.
J Pineal Res. 1998 Aug;25(1):41-6. doi: 10.1111/j.1600-079x.1998.tb00384.x.
PMID: 9694403
- 112 [Allopurinol and markers of muscle damage among participants in the Tour de France.](#)
Gómez-Cabrera MC, Pallardó FV, Sastre J, Viña J, García-del-Moral L.
JAMA. 2003 May 21;289(19):2503-4. doi: 10.1001/jama.289.19.2503-b.
PMID: 12759321 Clinical Trial. No abstract available.
- 113 [Hydrogen peroxide induced changes in membrane potentials in guinea pig ventricular muscle: permissive role of iron.](#)
Firek L, Beresewicz A.
Cardiovasc Res. 1990 Jun;24(6):493-9. doi: 10.1093/cvr/24.6.493.
PMID: 2386993
- 114 [Pharmacological neuronal protection.](#)
Michalek-Sauberer A, Gradwohl-Matis I, Dumitrescu RV, Gruber A, Spiss CK, Illievich UM.
Acta Anaesthesiol Scand Suppl. 1996;109:57-8.
PMID: 8901945 No abstract available.
- 115 [\[On the pathomorphology of changes in the peripheral organ of hearing during repeated experimental carbon monoxide intoxication\].](#)
Küttner K.
Z Laryngol Rhinol Otol. 1968 Oct;47(10):779-85.
PMID: 4882066 German. No abstract available.

- 116 [Early postnatal allopurinol does not improve short term outcome after severe birth asphyxia.](#)
Benders MJ, Bos AF, Rademaker CM, Rijken M, Torrance HL, Groenendaal F, van Bel F.
Arch Dis Child Fetal Neonatal Ed. 2006 May;91(3):F163-5. doi: 10.1136/adc.2005.086652. Epub 2006 Jan 20.
PMID: 16428356 [Free PMC article](#). Clinical Trial.
- 117 [Extracellular ATP may induce neuronal degeneration by a free-radical mechanism.](#)
Cheng Y, Chen M, Wixom P, Sun AY.
Ann N Y Acad Sci. 1994 Nov 17;738:431-5. doi: 10.1111/j.1749-6632.1994.tb21834.x.
PMID: 7832452 No abstract available.
- 118 [Protective Effects of \$\alpha\$ -Tocopherol on ABR Threshold Shift in Rabbits Exposed to Noise and Carbon Monoxide.](#)
Motallebi Kashani M, Mortazavi SB, Khavanin A, Allameh A, Mirzaee R, Akbari M.
Iran J Pharm Res. 2011 Spring;10(2):339-46.
PMID: 24250363 [Free PMC article](#).
- 119 [Complete suppression of ethanol-induced formation of megamitochondria by 4-hydroxy-2,2,6,6-tetramethyl-piperidine-1-oxyl \(4-OH-TEMPO\).](#)
Matsuhashi T, Karbowski M, Liu X, Usukura J, Wozniak M, Wakabayashi T.
Free Radic Biol Med. 1998 Jan 1;24(1):139-47. doi: 10.1016/s0891-5849(97)00210-4.
PMID: 9436623
- 120 [Windows of therapeutic opportunity on fetal growth retardation induced by transient intrauterine ischemia in rats.](#)
Nakai A, Taniuchi Y, Oya A, Asakura H, Koshino T, Araki T.
J Nippon Med Sch. 2002 Dec;69(6):534-41. doi: 10.1272/jnms.69.534.
PMID: 12646985 [Free article](#).
- 121 [\[Sensorineural hearing loss as a consequence of carbon monoxide intoxication\].](#)
Skrzypczak W, Gałeczka K, Skorek A.
Otolaryngol Pol. 2007;61(4):479-83. doi: 10.1016/S0030-6657(07)70465-1.
PMID: 18260235 Polish.
- 122 [Hearing loss from acute carbon monoxide intoxication.](#)
Baker SR, Lilly DJ.
Ann Otol Rhinol Laryngol. 1977 May-Jun;86(3 Pt 1):323-8. doi: 10.1177/000348947708600308.
PMID: 869434
- 123 [Possible role of antioxidants and nitric oxide inhibitors against carbon monoxide poisoning: Having a clear conscience because of their potential benefits.](#)
Akyol S, Yuksel S, Pehlivan S, Erdemli HK, Gulec MA, Adam B, Akyol O.
Med Hypotheses. 2016 Jul;92:3-6. doi: 10.1016/j.mehy.2016.04.015. Epub 2016 Apr 9.
PMID: 27241244
- 124 [The reversible part of cognitive impairment in chronic kidney disease: can mice help men break the TEMPO limit?](#)
Kielstein JT, Bernstein HG.
Nephrol Dial Transplant. 2014 Mar;29(3):476-8. doi: 10.1093/ndt/gft403. Epub 2013 Oct 17.
PMID: 24142368 No abstract available.
- 125 [Modulatory Effects of Mild Carbon Monoxide Exposure in the Developing Mouse Cochlea.](#)
Lopez IA, Acuna D, Edmond J.
Neurochem Res. 2017 Jan;42(1):151-165. doi: 10.1007/s11064-016-1882-4. Epub 2016 Mar 19.
PMID: 26993631
- 126 [Cochlear potentials recruitment produced by local anesthetics.](#)
Honrubia V, Ward PH.
Surg Forum. 1966;17:470-1.
PMID: 5921017 No abstract available.

- 127 [Noise-Induced Neural Degeneration and Therapeutic Effect of Antioxidant Drugs.](#)
Choi SH, Choi CH.
J Audiol Otol. 2015 Dec;19(3):111-9. doi: 10.7874/jao.2015.19.3.111. Epub 2015 Dec 18.
PMID: 26771008 [Free PMC article](#). Review.
- 128 [Recent Advances on Nitrones Design for Stroke Treatment.](#)
Marco-Contelles J.
J Med Chem. 2020 Nov 25;63(22):13413-13427. doi: 10.1021/acs.jmedchem.0c00976. Epub 2020 Sep 18.
PMID: 32869989 Review.
- 129 [\[Histochemistry of polysaccharides and nucleoproteins in carbon monoxide poisoning\].](#)
Datsenko II, Dotsenko NS, Martyniuk VZ, Pal'chevskii EI.
Vrach Delo. 1967 Jan;1:138-9.
PMID: 4240555 Russian. No abstract available.
- 130 [\[Neuroprotective agents\].](#)
Yonehara T.
Nihon Rinsho. 2006 Nov 28;64 Suppl 8:54-8.
PMID: 17469534 Review. Japanese. No abstract available.
- 131 [\[Characteristics of pathomorphologic changes in the organism under the effects of carbon monoxide poisoning\].](#)
Datsenko II, Dotsenko NS, Martyniuk VZ, Pal'chevskii EI.
Vrach Delo. 1965 Jun;6:77-80.
PMID: 5856589 Russian. No abstract available.
- 132 [Allopurinol and risk of myocardial infarction.](#)
Richette P.
Heart. 2015 May;101(9):659-60. doi: 10.1136/heartjnl-2014-307278. Epub 2015 Feb 13.
PMID: 25681324 No abstract available.
- 133 [\[Effect of a hyperoxic medium on the resistance of rats to the acute effect of carbon monoxide\].](#)
Abidin BI, Belkin VI, Mal'kuta AN, Iukhnovskii GD.
Kosm Biol Med. 1972 May-Jun;6(3):28-30.
PMID: 4661579 Russian. No abstract available.
- 134 [\[On control of radioactive-chemical protection and point mutations by inhibitors of free radical reactions\].](#)
Kuzurman PA, Sharpatyi VA.
Radiats Biol Radioecol. 2001 Jul-Aug;41(4):357-60.
PMID: 11605233 Russian.
- 135 [Carbon monoxide in health and politics.](#)
Silver HM.
Med Ann Dist Columbia. 1971 Mar;40(3):169-71.
PMID: 5279588 No abstract available.
- 136 [Treatment of acquired reactive perforating collagenosis with allopurinol.](#)
Querings K, Balda BR, Bachter D.
Br J Dermatol. 2001 Jul;145(1):174-6. doi: 10.1046/j.1365-2133.2001.04310.x.
PMID: 11453935 No abstract available.
- 137 [\[Experience in prevention of acute carbon monoxide poisoning\].](#)
Ulanova MP, Volkova VF.
Feldsher Akush. 1969 Aug;34(8):35-6.
PMID: 5196760 Russian. No abstract available.
- 138 [Protective action of nitrone-based free radical traps against oxidative damage to the central nervous system.](#)

- Floyd RA.
Adv Pharmacol. 1997;38:361-78. doi: 10.1016/s1054-3589(08)60991-6.
PMID: 8895816 Review. No abstract available.
- 139 [The dangers of carbon monoxide.](#)
Perera RD.
N Engl J Med. 1995 Mar 30;332(13):894.
PMID: 7870158 No abstract available.
- 140 [A lignocaine infusion worsens the leukoencephalopathy due to a carbon monoxide exposure in sheep.](#)
Gorman D, Huang YL, Williams C.
Toxicology. 2003 Apr 15;186(1-2):143-50. doi: 10.1016/s0300-483x(02)00745-x.
PMID: 12604178
- 141 [Synergistic effects of free radical scavengers and cochlear vasodilators: a new otoprotective strategy for age-related hearing loss.](#)
Alvarado JC, Fuentes-Santamaria V, Melgar-Rojas P, Valero ML, Gabaldón-Ull MC, Miller JM, Juiz JM.
Front Aging Neurosci. 2015 May 15;7:86. doi: 10.3389/fnagi.2015.00086. eCollection 2015.
PMID: 26029103 [Free PMC article](#). Review.
- 142 [\[Blood chemistry of carbon monoxide poisoning\].](#)
Nakao K.
Shinkei Kenkyu No Shimpo. 1969 Apr;13(1):21-4.
PMID: 5816800 Japanese. No abstract available.
- 143 [Effects of scavenger secondary radicals on radiation sensitivity.](#)
Ewing D.
Radiat Res. 1994 Oct;140(1):151.
PMID: 7938449 No abstract available.
- 144 [\[Mass examinations of persons exposed to carbon monoxide\].](#)
Wagner FJ.
Z Gesamte Hyg. 1964 Sep;10(9):621-7.
PMID: 5832991 German. No abstract available.
- 145 [Allopurinol/N-acetylcysteine for carbon monoxide poisoning.](#)
Howard RJ, Blake DR, Pall H, Williams A, Green ID.
Lancet. 1987 Sep 12;2(8559):628-9. doi: 10.1016/s0140-6736(87)93018-2.
PMID: 2887913 No abstract available.
- 146 [Use of Radical Oxygen Species Scavenger Nitrones to Treat Oxidative Stress-Mediated Hearing Loss: State of the Art and Challenges.](#)
Varela-Nieto I, Murillo-Cuesta S, Rodríguez-de la Rosa L, Oset-Gasque MJ, Marco-Contelles J.
Front Cell Neurosci. 2021 Sep 1;15:711269. doi: 10.3389/fncel.2021.711269. eCollection 2021.
PMID: 34539349 [Free PMC article](#). Review.
- 147 [\[Enzymatic disorders during chronic exposure to nitrogen oxides\].](#)
Kośmider S, Misiewicz A.
Wiad Lek. 1973 Apr 15;26(8):729-33.
PMID: 4704824 Polish. No abstract available.
- 148 [Radical viewpoints in critical illness.](#)
Zimmerman JJ.
Crit Care Med. 1992 Apr;20(4):448-9. doi: 10.1097/00003246-199204000-00002.
PMID: 1559355 No abstract available.

- 149 [Study on Chemical Kinetics of Explosion Caused by Pentane Leakage.](#)
Meng Z, Wang J, Hou L, Gao A, Qi J, Xiong C.
ACS Omega. 2020 Aug 19;5(34):21669-21678. doi: 10.1021/acsomega.0c02510. eCollection 2020 Sep 1.
PMID: 32905402 [Free PMC article.](#)
- 150 [Tandem Radical Reactions: Carbon Monoxide Addition to Alkyl Radicals and Subsequent Acyl Radical Cyclization onto N,N-Diphenylhydrazones.](#)
Brinza IM, Fallis AG.
J Org Chem. 1996 May 31;61(11):3580-3581. doi: 10.1021/jo960507l.
PMID: 11667197 No abstract available.
- 151 [Tandem Radical Reactions of Carbon Monoxide, Isonitriles, and Other Reagent Equivalents of the Geminal Radical Acceptor/Radical Precursor Synthons.](#)
Ryu I, Sonoda N, Curran DP.
Chem Rev. 1996 Feb 1;96(1):177-194. doi: 10.1021/cr9400626.
PMID: 11848749 No abstract available.
- 152 [RADIATING POTENTIALS OF THE BAND SYSTEMS OF CARBON MONOXIDE.](#)
Duffendack OS, Fox GW.
Science. 1926 Sep 17;64(1655):277-8. doi: 10.1126/science.64.1655.277-a.
PMID: 17759519 No abstract available.
- 153 [Unravelling carbon monoxide protection in cerebral ischemia: from the organelle to the organism.](#)
Queiroga C, Almeida A, Tomasi S, Vercelli A, Paula P, Vieira H.
Springerplus. 2015 Jun 12;4(Suppl 1):L26. doi: 10.1186/2193-1801-4-S1-L26. eCollection 2015.
PMID: 27386189 [Free PMC article.](#) No abstract available.
- 154 [Nitrogen-broadening coefficient of vibration-rotation lines of carbon monoxide.](#)
Sun JN, Griffiths PR.
Appl Opt. 1981 Jul 15;20(14):2332-4. doi: 10.1364/AO.20.002332.
PMID: 20332948 No abstract available.
- 155 [Carbon Monoxide: An Emerging Regulator of cGMP in the Brain.](#)
Maines MD.
Mol Cell Neurosci. 1993 Oct;4(5):389-97. doi: 10.1006/mcne.1993.1049.
PMID: 19912945 No abstract available.
- 156 [Carbon monoxide.](#)
Goldsmith JR.
Science. 1967 Aug 18;157(3790):842-4. doi: 10.1126/science.157.3790.842.
PMID: 17842801 No abstract available.
- 157 [CARBON MONOXIDE.](#)
M W.
Science. 1920 Apr 30;51(1322):437-8. doi: 10.1126/science.51.1322.437.
PMID: 17816987 No abstract available.
- 158 [Adsorbate effects on a mixed-valence compound: Carbon monoxide chemisorption on CeIr2.](#)
Lindquist JM, Hemminger JC, Lawrence J.
Phys Rev B Condens Matter. 1987 Oct 15;36(11):5819-5829. doi: 10.1103/physrevb.36.5819.
PMID: 9942259 No abstract available.
- 159 [The action of carbon monoxide on the autoxidation of sulphhydryl compounds.](#)
Dixon M.
Biochem J. 1928;22(4):902-8. doi: 10.1042/bj0220902.
PMID: 16744116 [Free PMC article.](#) No abstract available.

- 160 [The Action of Carbon Monoxide on Certain Oxidising Enzymes.](#)
Dixon M.
Biochem J. 1927;21(5):1211-5. doi: 10.1042/bj0211211.
PMID: 16743953 [Free PMC article](#). No abstract available.
- 161 [The Production of Carbon Monoxide by the Action of Alkaline Hypohalogenites on Urea.](#)
Hurtley WH.
Biochem J. 1921;15(1):11-8. doi: 10.1042/bj0150011.
PMID: 16742960 [Free PMC article](#). No abstract available.
- 162 [The action of various conditions on carbon monoxide haemoglobin.](#)
Hartridge H.
J Physiol. 1912 Mar 29;44(1-2):22-33. doi: 10.1113/jphysiol.1912.sp001497.
PMID: 16993132 [Free PMC article](#). No abstract available.
- 163 [Frequency tables for carbon monoxide lasers.](#)
[No authors listed]
Appl Opt. 1989 Jun 1;28(11):2046. doi: 10.1364/ao.28.002046.
PMID: 20555465 No abstract available.
- 164 [On the Physiological Action of Carbon Monoxide of Nickel.](#)
McKendrick JG, Snodgrass W.
Br Med J. 1891 Jun 6;1(1588):1215-7. doi: 10.1136/bmj.1.1588.1215.
PMID: 20753331 [Free PMC article](#). No abstract available.
- 165 [General Discussion: Session II. Carbon Monoxide.](#)
Coburn R, Stern A, Horvath S, Hinkle L.
Bull N Y Acad Med. 1980 Nov;56(9):829-34.
PMID: 19313007 [Free PMC article](#). No abstract available.
- 166 [An inexpensive technique for measuring carbon monoxide formation in plants.](#)
Troxler RF.
Plant Physiol. 1971 Sep;48(3):376-8. doi: 10.1104/pp.48.3.376.
PMID: 16657802 [Free PMC article](#). No abstract available.
- 167 [Imaginative biochemistry: free radical.](#)
McElroy WD.
Science. 1988 Jan 1;239(4835):82. doi: 10.1126/science.239.4835.82.
PMID: 17820641 No abstract available.
- 168 [Carbon monoxide in cell signaling and potential therapeutics.](#)
Kashfi K.
Biochem Pharmacol. 2022 Aug 19;204:115231. doi: 10.1016/j.bcp.2022.115231. Online ahead of print.
PMID: 35988734 No abstract available.
- 169 [The fate of the free radical.](#)
Janzen EG.
Redox Rep. 1996 Jun;2(3):155-9. doi: 10.1080/13510002.1996.11747043.
PMID: 27406071 No abstract available.

FOLLOW NCBI



Connect with NLM

National Library of Medicine
8600 Rockville Pike
Bethesda, MD 20894

Web Policies
FOIA
HHS Vulnerability Disclosure

Help
Accessibility
Careers

NLM NIH HHS USA.gov