

No potential conflicts of interest were disclosed.

References

1. Huang WJ, Zhang X, Chen WW. Role of oxidative stress in Alzheimer's disease. *Biomed Rep.* 2016;**4**:519–522. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
2. Dohi K, Ohtaki H, Nakamachi T, et al. Gp91phox (NOX2) in classically activated microglia exacerbates traumatic brain injury. *J Neuroinflammation.* 2010;**7**:41. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
3. Lewen A, Matz P, Chan PH. Free radical pathways in CNS injury. *J Neurotrauma.* 2000;**17**:871–890. [[PubMed](#)] [[Google Scholar](#)]
4. Gaetani P, Pasqualin A, Rodriguez y Baena R, Borasio E, Marzatico F. Oxidative stress in the human brain after subarachnoid hemorrhage. *J Neurosurg.* 1998;**89**:748–754. [[PubMed](#)] [[Google Scholar](#)]
5. Erickson MA, Dohi K, Banks WA. Neuroinflammation: a common pathway in CNS diseases as mediated at the blood-brain barrier. *Neuroimmunomodulation.* 2012;**19**:121–130. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
6. Dohi K, Miyamoto K, Fukuda K, et al. Status of systemic oxidative stress during therapeutic hypothermia in patients with post-cardiac arrest syndrome. *Oxid Med Cell Longev.* 2013;**2013**:562429. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
7. Yoritaka A, Hattori N, Uchida K, Tanaka M, Stadtman ER, Mizuno Y. Immunohistochemical detection of 4-hydroxynonenal protein adducts in Parkinson disease. *Proc Natl Acad Sci U S A.* 1996;**93**:2696–2701. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
8. Dohi K, Satoh K, Mihara Y, et al. Alkoxy radical-scavenging activity of edaravone in patients with traumatic brain injury. *J Neurotrauma.* 2006;**23**:1591–1599. [[PubMed](#)] [[Google Scholar](#)]
9. Dohi K, Satoh K, Nakamachi T, et al. Does edaravone (MCI-186) act as an antioxidant and a neuroprotector in experimental traumatic brain injury? *Antioxid Redox Signal.* 2007;**9**:281–287. [[PubMed](#)] [[Google Scholar](#)]
10. Kaneko T, Kasaoka S, Nakahara T, et al. Effectiveness of lower target temperature therapeutic hypothermia in post-cardiac arrest syndrome patients with a resuscitation interval of ≤ 30 min. *J Intensive Care.* 2015;**3**:28. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
11. Silveira RC, Procianoy RS. Hypothermia therapy for newborns with hypoxic ischemic encephalopathy. *J Pediatr (Rio J)* 2015;**91** (6 Suppl 1):S78–S83. [[PubMed](#)] [[Google Scholar](#)]
12. Ohsawa I, Ishikawa M, Takahashi K, et al. Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals. *Nat Med.* 2007;**13**:688–694. [[PubMed](#)] [[Google Scholar](#)]
13. Ohta S. Molecular hydrogen as a preventive and therapeutic medical gas: initiation, development and potential of hydrogen medicine. *Pharmacol Ther.* 2014;**144**:1–11. [[PubMed](#)] [[Google Scholar](#)]
14. Terasaki Y, Ohsawa I, Terasaki M, et al. Hydrogen therapy attenuates irradiation-induced lung damage by reducing oxidative stress. *Am J Physiol Lung Cell Mol Physiol.* 2011;**301**:L415–L426. [[PubMed](#)] [[Google Scholar](#)]
15. Yang Y, Li B, Liu C, et al. Hydrogen-rich saline protects immunocytes from radiation-induced apoptosis. *Med Sci Monit.* 2012;**18**:BR144–BR148. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

16. Zeng K, Huang H, Jiang XQ, Chen XJ, Huang W. Protective effects of hydrogen on renal ischemia/reperfusion injury in rats. *Sichuan Da Xue Xue Bao Yi Xue Ban*. 2014;**45**:39–42. (in Chinese) [[PubMed](#)] [[Google Scholar](#)]
17. Ichihara M, Sobue S, Ito M, Ito M, Hirayama M, Ohno K. Beneficial biological effects and the underlying mechanisms of molecular hydrogen - comprehensive review of 321 original articles. *Med Gas Res*. 2015;**5**:12. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
18. Dohi K, Kraemer BC, Erickson MA, et al. Molecular hydrogen in drinking water protects against neurodegenerative changes induced by traumatic brain injury. *PLoS One*. 2014;**9**:e108034. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
19. Chen CH, Manaenko A, Zhan Y, et al. Hydrogen gas reduced acute hyperglycemia-enhanced hemorrhagic transformation in a focal ischemia rat model. *Neuroscience*. 2010;**169**:402–414. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
20. Yang Y, Estrada EY, Thompson JF, Liu W, Rosenberg GA. Matrix metalloproteinase-mediated disruption of tight junction proteins in cerebral vessels is reversed by synthetic matrix metalloproteinase inhibitor in focal ischemia in rat. *J Cereb Blood Flow Metab*. 2007;**27**:697–709. [[PubMed](#)] [[Google Scholar](#)]
21. Ji Q, Hui K, Zhang L, Sun X, Li W, Duan M. The effect of hydrogen-rich saline on the brain of rats with transient ischemia. *J Surg Res*. 2011;**168**:e95–e101. [[PubMed](#)] [[Google Scholar](#)]
22. Domoki F, Oláh O, Zimmermann A, et al. Hydrogen is neuroprotective and preserves cerebrovascular reactivity in asphyxiated newborn pigs. *Pediatr Res*. 2010;**68**:387–392. [[PubMed](#)] [[Google Scholar](#)]
23. Nagatani K, Nawashiro H, Takeuchi S, et al. Safety of intravenous administration of hydrogen-enriched fluid in patients with acute cerebral ischemia: initial clinical studies. *Med Gas Res*. 2013;**3**:13. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
24. Song G, Li M, Sang H, et al. Hydrogen-rich water decreases serum LDL-cholesterol levels and improves HDL function in patients with potential metabolic syndrome. *J Lipid Res*. 2013;**54**:1884–1893. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
25. Kajiyama S, Hasegawa G, Asano M, et al. Supplementation of hydrogen-rich water improves lipid and glucose metabolism in patients with type 2 diabetes or impaired glucose tolerance. *Nutr Res*. 2008;**28**:137–143. [[PubMed](#)] [[Google Scholar](#)]
26. Nakao A, Toyoda Y, Sharma P, Evans M, Guthrie N. Effectiveness of hydrogen rich water on antioxidant status of subjects with potential metabolic syndrome—an open label pilot study. *J Clin Biochem Nutr*. 2010;**46**:140–149. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
27. Hashimoto M, Katakura M, Nabika T, et al. Effects of hydrogen-rich water on abnormalities in a SHR.Cg-Leprcp/NDmcr rat - a metabolic syndrome rat model. *Med Gas Res*. 2011;**1**:26. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
28. Manaenko A, Lekic T, Ma Q, Zhang JH, Tang J. Hydrogen inhalation ameliorated mast cell-mediated brain injury after intracerebral hemorrhage in mice. *Crit Care Med*. 2013;**41**:1266–1275. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
29. Zhuang Z, Zhou ML, You WC, et al. Hydrogen-rich saline alleviates early brain injury via reducing oxidative stress and brain edema following experimental subarachnoid hemorrhage in rabbits. *BMC Neurosci*. 2012;**13**:47. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
30. Zhuang Z, Sun XJ, Zhang X, et al. Nuclear factor- κ B/Bcl-XL pathway is involved in the protective effect of hydrogen-rich saline on the brain following experimental subarachnoid hemorrhage in rabbits. *J Neurosci Res*. 2013;**91**:1599–1608. [[PubMed](#)] [[Google Scholar](#)]

31. Hong Y, Shao A, Wang J, et al. Neuroprotective effect of hydrogen-rich saline against neurologic damage and apoptosis in early brain injury following subarachnoid hemorrhage: possible role of the Akt/GSK3 β signaling pathway. *PLoS One*. 2014;**9**:e96212. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
32. Takeuchi S, Mori K, Arimoto H, et al. Effects of intravenous infusion of hydrogen-rich fluid combined with intracisternal infusion of magnesium sulfate in severe aneurysmal subarachnoid hemorrhage: study protocol for a randomized controlled trial. *BMC Neurol*. 2014;**14**:176. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
33. Ji X, Liu W, Xie K, et al. Beneficial effects of hydrogen gas in a rat model of traumatic brain injury via reducing oxidative stress. *Brain Res*. 2010;**1354**:196–205. [[PubMed](#)] [[Google Scholar](#)]
34. Eckermann JM, Chen W, Jadhav V, et al. Hydrogen is neuroprotective against surgically induced brain injury. *Med Gas Res*. 2011;**1**:7. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
35. Chen C, Chen Q, Mao Y, et al. Hydrogen-rich saline protects against spinal cord injury in rats. *Neurochem Res*. 2010;**35**:1111–1118. [[PubMed](#)] [[Google Scholar](#)]
36. Huang Y, Xie K, Li J, et al. Beneficial effects of hydrogen gas against spinal cord ischemia-reperfusion injury in rabbits. *Brain Res*. 2011;**1378**:125–136. [[PubMed](#)] [[Google Scholar](#)]
37. Zhou L, Wang X, Xue W, et al. Beneficial effects of hydrogen-rich saline against spinal cord ischemia-reperfusion injury in rabbits. *Brain Res*. 2013;**1517**:150–160. [[PubMed](#)] [[Google Scholar](#)]
38. Gofton TE, Young GB. Sepsis-associated encephalopathy. *Nat Rev Neurol*. 2012;**8**:557–566. [[PubMed](#)] [[Google Scholar](#)]
39. Liu L, Xie K, Chen H, et al. Inhalation of hydrogen gas attenuates brain injury in mice with cecal ligation and puncture via inhibiting neuroinflammation, oxidative stress and neuronal apoptosis. *Brain Res*. 2014;**1589**:78–92. [[PubMed](#)] [[Google Scholar](#)]
40. Nakano T, Kotani T, Mano Y, et al. Maternal molecular hydrogen administration on lipopolysaccharide-induced mouse fetal brain injury. *J Clin Biochem Nutr*. 2015;**57**:178–182. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
41. Shen MH, Cai JM, Sun Q, et al. Neuroprotective effect of hydrogen-rich saline in acute carbon monoxide poisoning. *CNS Neurosci Ther*. 2013;**19**:361–363. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
42. Sun Q, Cai J, Zhou J, et al. Hydrogen-rich saline reduces delayed neurologic sequelae in experimental carbon monoxide toxicity. *Crit Care Med*. 2011;**39**:765–769. [[PubMed](#)] [[Google Scholar](#)]
43. Nagata K, Nakashima-Kamimura N, Mikami T, Ohsawa I, Ohta S. Consumption of molecular hydrogen prevents the stress-induced impairments in hippocampus-dependent learning tasks during chronic physical restraint in mice. *Neuropsychopharmacology*. 2009;**34**:501–508. [[PubMed](#)] [[Google Scholar](#)]
44. Wei R, Zhang R, Xie Y, Shen L, Chen F. Hydrogen suppresses hypoxia/reoxygenation-induced cell death in hippocampal neurons through reducing oxidative stress. *Cell Physiol Biochem*. 2015;**36**:585–598. [[PubMed](#)] [[Google Scholar](#)]
45. Schapira AH. Mitochondria in the aetiology and pathogenesis of Parkinson's disease. *Lancet Neurol*. 2008;**7**:97–109. [[PubMed](#)] [[Google Scholar](#)]
46. Ito M, Hirayama M, Yamai K, et al. Drinking hydrogen water and intermittent hydrogen gas exposure, but not lactulose or continuous hydrogen gas exposure, prevent 6-hydroxydopamine-induced Parkinson's disease in rats. *Med Gas Res*. 2012;**2**:15. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]

47. Fujita K, Seike T, Yutsudo N, et al. Hydrogen in drinking water reduces dopaminergic neuronal loss in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease. *PLoS One*. 2009;**4**:e7247. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
48. Fu Y, Ito M, Fujita Y, et al. Molecular hydrogen is protective against 6-hydroxydopamine-induced nigrostriatal degeneration in a rat model of Parkinson's disease. *Neurosci Lett*. 2009;**453**:81–85. [[PubMed](#)] [[Google Scholar](#)]
49. Yoritaka A, Takanashi M, Hirayama M, Nakahara T, Ohta S, Hattori N. Pilot study of H₂ therapy in Parkinson's disease: a randomized double-blind placebo-controlled trial. *Mov Disord*. 2013;**28**:836–839. [[PubMed](#)] [[Google Scholar](#)]
50. Yoritaka A, Abe T, Ohtsuka C, et al. A randomized double-blind multi-center trial of hydrogen water for Parkinson's disease: protocol and baseline characteristics. *BMC Neurol*. 2016;**16**:66. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
51. Wang C, Li J, Liu Q, et al. Hydrogen-rich saline reduces oxidative stress and inflammation by inhibit of JNK and NF-κB activation in a rat model of amyloid-beta-induced Alzheimer's disease. *Neurosci Lett*. 2011;**491**:127–132. [[PubMed](#)] [[Google Scholar](#)]
52. Jucker M, Walker LC. Pathogenic protein seeding in Alzheimer disease and other neurodegenerative disorders. *Ann Neurol*. 2011;**70**:532–540. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
53. Li J, Wang C, Zhang JH, Cai JM, Cao YP, Sun XJ. Hydrogen-rich saline improves memory function in a rat model of amyloid-beta-induced Alzheimer's disease by reduction of oxidative stress. *Brain Res*. 2010;**1328**:152–161. [[PubMed](#)] [[Google Scholar](#)]
54. Gu Y, Huang CS, Inoue T, et al. Drinking hydrogen water ameliorated cognitive impairment in senescence-accelerated mice. *J Clin Biochem Nutr*. 2010;**46**:269–276. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]
55. Liu C, Kurokawa R, Fujino M, Hirano S, Sato B, Li XK. Estimation of the hydrogen concentration in rat tissue using an airtight tube following the administration of hydrogen via various routes. *Sci Rep*. 2014;**4**:5485. [[PMC free article](#)] [[PubMed](#)] [[Google Scholar](#)]