

Similar articles for PMID: 12760852

209 results

Page 1 of 2

- 1 [Ciclopirox olamine treatment affects the expression pattern of *Candida albicans* genes encoding virulence factors, iron metabolism proteins, and drug resistance factors.](#)
Niewerth M, Kunze D, Seibold M, Schaller M, Korting HC, Hube B.
Antimicrob Agents Chemother. 2003 Jun;47(6):1805-17. doi: 10.1128/AAC.47.6.1805-1817.2003.
PMID: 12760852 [Free PMC article.](#)
- 2 [Genome-wide expression profiling of the response to ciclopirox olamine in *Candida albicans*.](#)
Lee RE, Liu TT, Barker KS, Lee RE, Rogers PD.
J Antimicrob Chemother. 2005 May;55(5):655-62. doi: 10.1093/jac/dki105. Epub 2005 Apr 6.
PMID: 15814599
- 3 [Oxygen accessibility and iron levels are critical factors for the antifungal action of ciclopirox against *Candida albicans*.](#)
Sigle HC, Thewes S, Niewerth M, Korting HC, Schäfer-Korting M, Hube B.
J Antimicrob Chemother. 2005 May;55(5):663-73. doi: 10.1093/jac/dki089. Epub 2005 Mar 24.
PMID: 15790671
- 4 [Antifungal effect of *Echinophora platyloba* on expression of CDR1 and CDR2 genes in fluconazole-resistant *Candida albicans*.](#)
Khajeh E, Hosseini Shokouh SJ, Rajabibazl M, Roudbary M, Rafiei S, Aslani P, Farahnejad Z.
Br J Biomed Sci. 2016;73(1):44-8. doi: 10.1080/09674845.2016.1155269.
PMID: 27182677
- 5 [Comparison of gene expression profiles of *Candida albicans* azole-resistant clinical isolates and laboratory strains exposed to drugs inducing multidrug transporters.](#)
Karababa M, Coste AT, Rognon B, Bille J, Sanglard D.
Antimicrob Agents Chemother. 2004 Aug;48(8):3064-79. doi: 10.1128/AAC.48.8.3064-3079.2004.
PMID: 15273122 [Free PMC article.](#)
- 6 [Mechanisms of resistance to azole antifungal agents in *Candida albicans* isolates from AIDS patients involve specific multidrug transporters.](#)
Sanglard D, Kuchler K, Ischer F, Pagani JL, Monod M, Bille J.
Antimicrob Agents Chemother. 1995 Nov;39(11):2378-86. doi: 10.1128/AAC.39.11.2378.
PMID: 8585712 [Free PMC article.](#)
- 7 [Histone deacetylase inhibitors enhance *Candida albicans* sensitivity to azoles and related antifungals: correlation with reduction in CDR and ERG upregulation.](#)
Smith WL, Edlind TD.
Antimicrob Agents Chemother. 2002 Nov;46(11):3532-9. doi: 10.1128/AAC.46.11.3532-3539.2002.
PMID: 12384361 [Free PMC article.](#)
- 8 [Antagonism of azole activity against *Candida albicans* following induction of multidrug resistance genes by selected antimicrobial agents.](#)
Henry KW, Cruz MC, Katiyar SK, Edlind TD.
Antimicrob Agents Chemother. 1999 Aug;43(8):1968-74. doi: 10.1128/AAC.43.8.1968.
PMID: 10428921 [Free PMC article.](#)
- 9 [The fungicide fludioxonil antagonizes fluconazole activity in the human fungal pathogen *Candida albicans*.](#)
Buschart A, Burakowska A, Bilitewski U.
J Med Microbiol. 2012 Dec;61(Pt 12):1696-1703. doi: 10.1099/jmm.0.050963-0. Epub 2012 Aug 23.
PMID: 22918865

- 10 [Expression of Major Efflux Pumps in Fluconazole-Resistant *Candida albicans*.](#)
Pourakbari B, Teymuri M, Mahmoudi S, Valian SK, Movahedi Z, Eshaghi H, Mamishi S.
Infect Disord Drug Targets. 2017;17(3):178-184. doi: 10.2174/1871526517666170531114335.
PMID: 28558643
- 11 [\[Investigation of the expression levels of efflux pumps in fluconazole-resistant *Candida albicans* isolates\].](#)
Gulat S, Doluca Dereli M.
Mikrobiyol Bul. 2014 Apr;48(2):325-34. doi: 10.5578/mb.7213.
PMID: 24819270 [Free article](#). Turkish.
- 12 [Synergistic activity of magnolol with azoles and its possible antifungal mechanism against *Candida albicans*.](#)
Sun LM, Liao K, Liang S, Yu PH, Wang DY.
J Appl Microbiol. 2015 Apr;118(4):826-38. doi: 10.1111/jam.12737. Epub 2015 Feb 3.
PMID: 25641229 [Free article](#).
- 13 [\[Regulation of cell growth and filamentation in *Candida albicans* by high-affinity iron permeases Ftr1 and Ftr2\].](#)
Du H, Zhu L.
Wei Sheng Wu Xue Bao. 2015 May 4;55(5):579-86.
PMID: 26259482 Chinese.
- 14 [Expression of fluconazole resistance-associated genes in biofilm from 23 clinical isolates of *Candida albicans*.](#)
Shi C, Liu J, Li W, Zhao Y, Meng L, Xiang M.
Braz J Microbiol. 2019 Jan;50(1):157-163. doi: 10.1007/s42770-018-0009-2. Epub 2019 Jan 7.
PMID: 30617866 [Free PMC article](#).
- 15 [Regulated overexpression of CDR1 in *Candida albicans* confers multidrug resistance.](#)
Niimi M, Niimi K, Takano Y, Holmes AR, Fischer FJ, Uehara Y, Cannon RD.
J Antimicrob Chemother. 2004 Dec;54(6):999-1006. doi: 10.1093/jac/dkh456. Epub 2004 Oct 14.
PMID: 15486081
- 16 [Fungicidal monoclonal antibody C7 interferes with iron acquisition in *Candida albicans*.](#)
Brena S, Cabezas-Olcoz J, Moragues MD, Fernández de Larrinoa I, Domínguez A, Quindós G, Pontón J.
Antimicrob Agents Chemother. 2011 Jul;55(7):3156-63. doi: 10.1128/AAC.00892-10. Epub 2011 Apr 25.
PMID: 21518848 [Free PMC article](#).
- 17 [Activity of Isavuconazole and Other Azoles against *Candida* Clinical Isolates and Yeast Model Systems with Known Azole Resistance Mechanisms.](#)
Sanglard D, Coste AT.
Antimicrob Agents Chemother. 2015 Oct 19;60(1):229-38. doi: 10.1128/AAC.02157-15. Print 2016 Jan.
PMID: 26482310 [Free PMC article](#).
- 18 [Mechanisms of resistance to fluconazole in *Candida albicans* clinical isolates from Iranian HIV-infected patients with oropharyngeal candidiasis.](#)
Salari S, Khosravi AR, Mousavi SA, Nikbakht-Brojeni GH.
J Mycol Med. 2016 Mar;26(1):35-41. doi: 10.1016/j.mycmed.2015.10.007. Epub 2015 Nov 25.
PMID: 26627124
- 19 [SRE1 and SRE2 are two specific steroid-responsive modules of *Candida* drug resistance gene 1 \(CDR1\) promoter.](#)
Karnani N, Gaur NA, Jha S, Puri N, Krishnamurthy S, Goswami SK, Mukhopadhyay G, Prasad R.
Yeast. 2004 Feb;21(3):219-39. doi: 10.1002/yea.1067.
PMID: 14968428
- 20 [Molecular mechanisms associated with Fluconazole resistance in clinical *Candida albicans* isolates from India.](#)
Mane A, Vidhate P, Kusro C, Waman V, Saxena V, Kulkarni-Kale U, Risbud A.
Mycoses. 2016 Feb;59(2):93-100. doi: 10.1111/myc.12439. Epub 2015 Dec 9.
PMID: 26648048

- 21 [The transcription factor Ndt80 does not contribute to Mrr1-, Tac1-, and Upc2-mediated fluconazole resistance in *Candida albicans*.](#)
Sasse C, Schillig R, Dierolf F, Weyler M, Schneider S, Mogavero S, Rogers PD, Morschhäuser J.
PLoS One. 2011;6(9):e25623. doi: 10.1371/journal.pone.0025623. Epub 2011 Sep 27.
PMID: 21980509 [Free PMC article](#).
- 22 [\[Investigation of mutations in transcription factors of efflux pump genes in fluconazole-resistant *Candida albicans* strains overexpressing the efflux pumps\].](#)
Kalkandelen KT, Doluca Dereli M.
Mikrobiyol Bul. 2015 Oct;49(4):609-18. doi: 10.5578/mb.10105.
PMID: 26649419 [Free article](#). Turkish.
- 23 [\[Mode of action of ciclopiroxolamine on *Candida albicans*\].](#)
Niewerth M, Schaller M, Korting HC, Hube B.
Mycoses. 2002;45 Suppl 1:63-8. doi: 10.1111/j.1439-0507.2002.tb04549.x.
PMID: 12073566 German.
- 24 [Mitochondria influence CDR1 efflux pump activity, Hog1-mediated oxidative stress pathway, iron homeostasis, and ergosterol levels in *Candida albicans*.](#)
Thomas E, Roman E, Claypool S, Manzoor N, Pla J, Panwar SL.
Antimicrob Agents Chemother. 2013 Nov;57(11):5580-99. doi: 10.1128/AAC.00889-13. Epub 2013 Aug 26.
PMID: 23979757 [Free PMC article](#).
- 25 [The possible mechanism of action of ciclopirox olamine in the yeast *Saccharomyces cerevisiae*.](#)
Leem SH, Park JE, Kim IS, Chae JY, Sugino A, Sunwoo Y.
Mol Cells. 2003 Feb 28;15(1):55-61.
PMID: 12661761 [Free article](#).
- 26 [Guideline: vulvovaginal candidosis \(AWMF 015/072\), S2k \(excluding chronic mucocutaneous candidosis\).](#)
Mendling W, Brasch J, Cornely OA, Effendy I, Friese K, Ginter-Hanselmayer G, Hof H, Maysner P, Mylonas I, Ruhnke M, Schaller M, Weissenbacher ER.
Mycoses. 2015 Mar;58 Suppl 1:1-15. doi: 10.1111/myc.12292.
PMID: 25711406
- 27 [Loss of Upc2p-Inducible *ERG3* Transcription Is Sufficient To Confer Niche-Specific Azole Resistance without Compromising *Candida albicans* Pathogenicity.](#)
Luna-Tapia A, Willems HME, Parker JE, Tournu H, Barker KS, Nishimoto AT, Rogers PD, Kelly SL, Peters BM, Palmer GE.
mBio. 2018 May 22;9(3):e00225-18. doi: 10.1128/mBio.00225-18.
PMID: 29789366 [Free PMC article](#).
- 28 [Heterozygosity and functional allelic variation in the *Candida albicans* efflux pump genes CDR1 and CDR2.](#)
Holmes AR, Tsao S, Ong SW, Lamping E, Niimi K, Monk BC, Niimi M, Kaneko A, Holland BR, Schmid J, Cannon RD.
Mol Microbiol. 2006 Oct;62(1):170-86. doi: 10.1111/j.1365-2958.2006.05357.x. Epub 2006 Aug 30.
PMID: 16942600 [Free article](#).
- 29 [Fcr1p inhibits development of fluconazole resistance in *Candida albicans* by abolishing CDR1 induction.](#)
Shen H, An MM, Wang de J, Xu Z, Zhang JD, Gao PH, Cao YY, Cao YB, Jiang YY.
Biol Pharm Bull. 2007 Jan;30(1):68-73. doi: 10.1248/bpb.30.68.
PMID: 17202662 [Free article](#).
- 30 [Development of a new real-time TaqMan PCR assay for quantitative analyses of *Candida albicans* resistance genes expression.](#)
Kofla G, Ruhnke M.
J Microbiol Methods. 2007 Jan;68(1):178-83. doi: 10.1016/j.mimet.2006.07.011. Epub 2006 Sep 1.
PMID: 16945439

- [Evaluation of differential gene expression in fluconazole-susceptible and -resistant isolates of *Candida albicans* by cDNA microarray analysis.](#)
Rogers PD, Barker KS.
Antimicrob Agents Chemother. 2002 Nov;46(11):3412-7. doi: 10.1128/AAC.46.11.3412-3417.2002.
PMID: 12384344 [Free PMC article.](#)
- 32 [Serum repressing efflux pump CDR1 in *Candida albicans*.](#)
Yang YL, Lin YH, Tsao MY, Chen CG, Shih HI, Fan JC, Wang JS, Lo HJ.
BMC Mol Biol. 2006 Jul 13;7:22. doi: 10.1186/1471-2199-7-22.
PMID: 16839415 [Free PMC article.](#)
- 33 [Synergistic in vitro activity of sodium houttuynonate with fluconazole against clinical *Candida albicans* strains under planktonic growing conditions.](#)
Shao J, Cui Y, Zhang M, Wang T, Wu D, Wang C.
Pharm Biol. 2017 Dec;55(1):355-359. doi: 10.1080/13880209.2016.1237977.
PMID: 27931143 [Free PMC article.](#)
- 34 [Genome-wide expression profiling of the response to terbinafine in *Candida albicans* using a cDNA microarray analysis.](#)
Zeng YB, Qian YS, Ma L, Gu HN.
Chin Med J (Engl). 2007 May 5;120(9):807-13.
PMID: 17531123
- 35 [Inhibition of *Candida albicans* adhesiveness to human buccal and vaginal cells by sub-inhibitory concentrations of rilopirox.](#)
Braga PC, Dal Sasso M, Maci S, Piatti G, Dannhorn DR, Bohn M.
Arzneimittelforschung. 1995 Jan;45(1):84-7.
PMID: 7893277
- 36 [Azole susceptibility and transcriptome profiling in *Candida albicans* mitochondrial electron transport chain complex I mutants.](#)
Sun N, Fonzi W, Chen H, She X, Zhang L, Zhang L, Calderone R.
Antimicrob Agents Chemother. 2013 Jan;57(1):532-42. doi: 10.1128/AAC.01520-12. Epub 2012 Nov 12.
PMID: 23147730 [Free PMC article.](#)
- 37 [Mechanism of action of tetrandrine, a natural inhibitor of *Candida albicans* drug efflux pumps.](#)
Zhang H, Gao A, Li F, Zhang G, Ho HI, Liao W.
Yakugaku Zasshi. 2009 May;129(5):623-30. doi: 10.1248/yakushi.129.623.
PMID: 19420894 [Free article.](#)
- 38 [Resistance mechanisms in clinical isolates of *Candida albicans*.](#)
White TC, Holleman S, Dy F, Mirels LF, Stevens DA.
Antimicrob Agents Chemother. 2002 Jun;46(6):1704-13. doi: 10.1128/AAC.46.6.1704-1713.2002.
PMID: 12019079 [Free PMC article.](#)
- 39 [Novel role of the *Candida albicans* ferric reductase gene CFL1 in iron acquisition, oxidative stress tolerance, morphogenesis and virulence.](#)
Xu N, Qian K, Dong Y, Chen Y, Yu Q, Zhang B, Xing L, Li M.
Res Microbiol. 2014 Apr;165(3):252-61. doi: 10.1016/j.resmic.2014.03.001. Epub 2014 Mar 12.
PMID: 24631590
- 40 [Lactate Like Fluconazole Reduces Ergosterol Content in the Plasma Membrane and Synergistically Kills *Candida albicans*.](#)
Suchodolski J, Muraszko J, Bernat P, Krasowska A.
Int J Mol Sci. 2021 May 14;22(10):5219. doi: 10.3390/ijms22105219.
PMID: 34069257 [Free PMC article.](#)

- [Contribution of Clinically Derived Mutations in the Gene Encoding the Zinc Cluster Transcription Factor Mrr2 to Fluconazole Antifungal Resistance and *CDR1* Expression in *Candida albicans*.](#)
Nishimoto AT, Zhang Q, Hazlett B, Morschhäuser J, Rogers PD.
Antimicrob Agents Chemother. 2019 Apr 25;63(5):e00078-19. doi: 10.1128/AAC.00078-19. Print 2019 May.
PMID: 30833425 [Free PMC article](#).
- 42 [In vitro effect of malachite green on *Candida albicans* involves multiple pathways and transcriptional regulators UPC2 and STP2.](#)
Dhamgaye S, Devaux F, Manoharlal R, Vandeputte P, Shah AH, Singh A, Blugeon C, Sanglard D, Prasad R.
Antimicrob Agents Chemother. 2012 Jan;56(1):495-506. doi: 10.1128/AAC.00574-11. Epub 2011 Oct 17.
PMID: 22006003 [Free PMC article](#).
- 43 [\[Function and gene expression of the active efflux transporters in drug-resistant *Candida albicans*\].](#)
Guo HJ, Xia ZD, Wu GL, Zhou H.
Zhong Nan Da Xue Xue Bao Yi Xue Ban. 2007 Feb;32(1):183-7.
PMID: 17344615 Chinese.
- 44 [FLO8 deletion leads to azole resistance by upregulating *CDR1* and *CDR2* in *Candida albicans*.](#)
Li WJ, Liu JY, Shi C, Zhao Y, Meng LN, Wu F, Xiang MJ.
Res Microbiol. 2019 Sep-Oct;170(6-7):272-279. doi: 10.1016/j.resmic.2019.08.005. Epub 2019 Aug 23.
PMID: 31449848
- 45 [The zinc cluster transcription factor Tac1p regulates *PDR16* expression in *Candida albicans*.](#)
Znaidi S, De Deken X, Weber S, Rigby T, Nantel A, Raymond M.
Mol Microbiol. 2007 Oct;66(2):440-52. doi: 10.1111/j.1365-2958.2007.05931.x.
PMID: 17897373 [Free article](#).
- 46 [Molecular mechanisms underlying the tetrandrine-mediated reversal of the fluconazole resistance of *Candida albicans*.](#)
Zhang X, Guo H, Gao L, Song Y, Li S, Zhang H.
Pharm Biol. 2013 Jun;51(6):749-52. doi: 10.3109/13880209.2013.764537. Epub 2013 Mar 25.
PMID: 23527892
- 47 [\[Application of differential display-PCR technique in fluconazole-resistance gene expression of *Candida*\].](#)
Zhu YN, Lu SM.
Zhejiang Da Xue Xue Bao Yi Xue Ban. 2005 Mar;34(2):157-62. doi: 10.3785/j.issn.1008-9292.2005.02.013.
PMID: 15812891 Chinese.
- 48 [New evidence that *Candida albicans* possesses additional ATP-binding cassette MDR-like genes: implications for antifungal azole resistance.](#)
Walsh TJ, Kasai M, Francesconi A, Landsman D, Chanock SJ.
J Med Vet Mycol. 1997 Mar-Apr;35(2):133-7.
PMID: 9147273
- 49 [The *RTA3* Gene, Encoding a Putative Lipid Translocase, Influences the Susceptibility of *Candida albicans* to Fluconazole.](#)
Whaley SG, Tsao S, Weber S, Zhang Q, Barker KS, Raymond M, Rogers PD.
Antimicrob Agents Chemother. 2016 Sep 23;60(10):6060-6. doi: 10.1128/AAC.00732-16. Print 2016 Oct.
PMID: 27480868 [Free PMC article](#).
- 50 [The protein kinase *Ire1* has a *Hac1*-independent essential role in iron uptake and virulence of *Candida albicans*.](#)
Ramírez-Zavala B, Krüger I, Dunker C, Jacobsen ID, Morschhäuser J.
PLoS Pathog. 2022 Feb 2;18(2):e1010283. doi: 10.1371/journal.ppat.1010283. eCollection 2022 Feb.
PMID: 35108336 [Free PMC article](#).
- 51 [Mechanisms of fluconazole resistance in *Candida albicans* isolates from Japanese AIDS patients.](#)
Maebashi K, Niimi M, Kudoh M, Fischer FJ, Makimura K, Niimi K, Piper RJ, Uchida K, Arisawa M, Cannon RD, Yamaguchi H.
J Antimicrob Chemother. 2001 May;47(5):527-36. doi: 10.1093/jac/47.5.527.

PMID: 11328762

- 52 [Mediator Tail Module Is Required for Tac1-Activated *CDR1* Expression and Azole Resistance in *Candida albicans*.](#)
Liu Z, Myers LC.
Antimicrob Agents Chemother. 2017 Oct 24;61(11):e01342-17. doi: 10.1128/AAC.01342-17. Print 2017 Nov.
PMID: 28807920 [Free PMC article](#).
- 53 [Exposure of *Candida albicans* to antifungal agents affects expression of *SAP2* and *SAP9* secreted proteinase genes.](#)
Copping VM, Barelle CJ, Hube B, Gow NA, Brown AJ, Odds FC.
J Antimicrob Chemother. 2005 May;55(5):645-54. doi: 10.1093/jac/dki088. Epub 2005 Apr 8.
PMID: 15820985
- 54 [Application of real-time quantitative PCR to molecular analysis of *Candida albicans* strains exhibiting reduced susceptibility to azoles.](#)
Chau AS, Mendrick CA, Sabatelli FJ, Loebenberg D, McNicholas PM.
Antimicrob Agents Chemother. 2004 Jun;48(6):2124-31. doi: 10.1128/AAC.48.6.2124-2131.2004.
PMID: 15155210 [Free PMC article](#).
- 55 [cDNA microarray analysis of differential gene expression and regulation in clinically drug-resistant isolates of *Candida albicans* from bone marrow transplanted patients.](#)
Xu Z, Zhang LX, Zhang JD, Cao YB, Yu YY, Wang DJ, Ying K, Chen WS, Jiang YY.
Int J Med Microbiol. 2006 Oct;296(6):421-34. doi: 10.1016/j.ijmm.2006.03.004. Epub 2006 Jun 19.
PMID: 16782404
- 56 [Inhibition of *Candida albicans* virulence factors by novel levofloxacin derivatives.](#)
Shafreen RM, Muthamil S, Pandian SK.
Appl Microbiol Biotechnol. 2014 Aug;98(15):6775-85. doi: 10.1007/s00253-014-5719-2. Epub 2014 Apr 11.
PMID: 24723295
- 57 [Induced expression of the *Candida albicans* multidrug resistance gene *CDR1* in response to fluconazole and other antifungals.](#)
Hernández ML, Gil C, Pla J, Nombela C.
Yeast. 1998 Apr 30;14(6):517-26. doi: 10.1002/(SICI)1097-0061(19980430)14:6<517::AID-YEA250>3.0.CO;2-D.
PMID: 9605502
- 58 [A common drug-responsive element mediates the upregulation of the *Candida albicans* ABC transporters *CDR1* and *CDR2*, two genes involved in antifungal drug resistance.](#)
de Micheli M, Bille J, Schueller C, Sanglard D.
Mol Microbiol. 2002 Mar;43(5):1197-214. doi: 10.1046/j.1365-2958.2002.02814.x.
PMID: 11918807 [Free article](#).
- 59 [Transcriptional activation and increased mRNA stability contribute to overexpression of *CDR1* in azole-resistant *Candida albicans*.](#)
Manoharlal R, Gaur NA, Panwar SL, Morschhäuser J, Prasad R.
Antimicrob Agents Chemother. 2008 Apr;52(4):1481-92. doi: 10.1128/AAC.01106-07. Epub 2008 Feb 11.
PMID: 18268086 [Free PMC article](#).
- 60 [The antimycotic ciclopirox olamine induces HIF-1alpha stability, VEGF expression, and angiogenesis.](#)
Linden T, Katschinski DM, Eckhardt K, Scheid A, Pagel H, Wenger RH.
FASEB J. 2003 Apr;17(6):761-3. doi: 10.1096/fj.02-0586fje. Epub 2003 Feb 19.
PMID: 12594177
- 61 [The Absence of *PDR16* Gene Restricts the Overexpression of *CaSNQ2* Gene in the Presence of Fluconazole in *Candida albicans*.](#)
Bencova A, Goffa E, Morvova M, Valachovic M, Griač P, Toth Hervay N, Gbelska Y.
Mycopathologia. 2020 Jun;185(3):455-465. doi: 10.1007/s11046-020-00459-4. Epub 2020 May 25.

PMID: 32451851

- 62 [Cloning of *Candida albicans* genes conferring resistance to azole antifungal agents: characterization of CDR2, a new multidrug ABC transporter gene.](#)
Sanglard D, Ischer F, Monod M, Bille J.
Microbiology (Reading). 1997 Feb;143 (Pt 2):405-416. doi: 10.1099/00221287-143-2-405.
PMID: 9043118
- 63 [A novel polyamide SL-A92 as a potential fungal resistance blocker: synthesis and bioactivities in *Candida albicans*.](#)
Zhu SL, Jiang ZH, Gao PH, Qiu Y, Wang L, Jiang YY, Zhang DZ.
Acta Pharmacol Sin. 2010 Jul;31(7):855-60. doi: 10.1038/aps.2010.59. Epub 2010 Jun 21.
PMID: 20562904 [Free PMC article.](#)
- 64 [The expression of genes involved in the ergosterol biosynthesis pathway in *Candida albicans* and *Candida dubliniensis* biofilms exposed to fluconazole.](#)
Borecká-Melkusová S, Moran GP, Sullivan DJ, Kucharíková S, Chorvát D Jr, Bujdáková H.
Mycoses. 2009 Mar;52(2):118-28. doi: 10.1111/j.1439-0507.2008.01550.x. Epub 2008 Jun 21.
PMID: 18627475
- 65 [The repositioning of the anti-fungal agent ciclopirox olamine as a novel therapeutic agent for the treatment of haematologic malignancy.](#)
Weir SJ, Patton L, Castle K, Rajewski L, Kasper J, Schimmer AD.
J Clin Pharm Ther. 2011 Apr;36(2):128-34. doi: 10.1111/j.1365-2710.2010.01172.x. Epub 2010 Aug 24.
PMID: 21366640
- 66 [Impact of Farnesol as a Modulator of Efflux Pumps in a Fluconazole-Resistant Strain of *Candida albicans*.](#)
Černáková L, Dižová S, Gášková D, Jančíková I, Bujdáková H.
Microb Drug Resist. 2019 Jul/Aug;25(6):805-812. doi: 10.1089/mdr.2017.0332. Epub 2019 Feb 20.
PMID: 30785845
- 67 [Divergent functions of three *Candida albicans* zinc-cluster transcription factors \(CTA4, ASG1 and CTF1\) complementing pleiotropic drug resistance in *Saccharomyces cerevisiae*.](#)
Coste AT, Ramsdale M, Ischer F, Sanglard D.
Microbiology (Reading). 2008 May;154(Pt 5):1491-1501. doi: 10.1099/mic.0.2007/016063-0.
PMID: 18451058
- 68 [Physiological and Transcriptional Responses of *Candida parapsilosis* to Exogenous Tyrosol.](#)
Jakab Á, Tóth Z, Nagy F, Nemes D, Bácskay I, Kardos G, Emri T, Pócsi I, Majoros L, Kovács R.
Appl Environ Microbiol. 2019 Oct 1;85(20):e01388-19. doi: 10.1128/AEM.01388-19. Print 2019 Oct 15.
PMID: 31399405 [Free PMC article.](#)
- 69 [Induction of *Candida albicans* drug resistance genes by hybrid zinc cluster transcription factors.](#)
Schneider S, Morschhäuser J.
Antimicrob Agents Chemother. 2015 Jan;59(1):558-69. doi: 10.1128/AAC.04448-14. Epub 2014 Nov 10.
PMID: 25385116 [Free PMC article.](#)
- 70 [Hyperexpression of CDRs and HWP1 genes negatively impacts on *Candida albicans* virulence.](#)
Maras B, Maggiore A, Mignogna G, D'Erme M, Angiolella L.
PLoS One. 2021 Jun 1;16(6):e0252555. doi: 10.1371/journal.pone.0252555. eCollection 2021.
PMID: 34061886 [Free PMC article.](#)
- 71 [Endoplasmic reticulum-derived reactive oxygen species \(ROS\) is involved in toxicity of cell wall stress to *Candida albicans*.](#)
Yu Q, Zhang B, Li J, Zhang B, Wang H, Li M.
Free Radic Biol Med. 2016 Oct;99:572-583. doi: 10.1016/j.freeradbiomed.2016.09.014. Epub 2016 Sep 17.
PMID: 27650297

- 72 [Identification and expression of multidrug transporters responsible for fluconazole resistance in *Candida dubliniensis*.](#)
Moran GP, Sanglard D, Donnelly SM, Shanley DB, Sullivan DJ, Coleman DC.
Antimicrob Agents Chemother. 1998 Jul;42(7):1819-30. doi: 10.1128/AAC.42.7.1819.
PMID: 9661028 [Free PMC article.](#)
- 73 [Azole antifungals induce up-regulation of SAP4, SAP5 and SAP6 secreted proteinase genes in filamentous *Candida albicans* cells in vitro and in vivo.](#)
Barelle CJ, Duncan VM, Brown AJ, Gow NA, Odds FC.
J Antimicrob Chemother. 2008 Feb;61(2):315-22. doi: 10.1093/jac/dkm456. Epub 2007 Nov 22.
PMID: 18033783
- 74 [A Hyperactive Form of the Zinc Cluster Transcription Factor Stb5 Causes *YOR1* Overexpression and Beauvericin Resistance in *Candida albicans*.](#)
Ramírez-Zavala B, Manz H, Englert F, Rogers PD, Morschhäuser J.
Antimicrob Agents Chemother. 2018 Nov 26;62(12):e01655-18. doi: 10.1128/AAC.01655-18. Print 2018 Dec.
PMID: 30249688 [Free PMC article.](#)
- 75 [Synthetic Organotellurium Compounds Sensitize Drug-Resistant *Candida albicans* Clinical Isolates to Fluconazole.](#)
Reis de Sá LF, Toledo FT, Gonçalves AC, Sousa BA, Dos Santos AA, Brasil PF, Duarte da Silva VA, Tassis AC, Ramos JA, Carvalho MA, Lamping E, Ferreira-Pereira A.
Antimicrob Agents Chemother. 2016 Dec 27;61(1):e01231-16. doi: 10.1128/AAC.01231-16. Print 2017 Jan.
PMID: 27821447 [Free PMC article.](#)
- 76 [A novel mechanism of fluconazole resistance associated with fluconazole sequestration in *Candida albicans* isolates from a myelofibrosis patient.](#)
Maebashi K, Kudoh M, Nishiyama Y, Makimura K, Uchida K, Mori T, Yamaguchi H.
Microbiol Immunol. 2002;46(5):317-26. doi: 10.1111/j.1348-0421.2002.tb02702.x.
PMID: 12139391 [Free article.](#)
- 77 [Azole resistance in a *Candida albicans* mutant lacking the ABC transporter *CDR6/ROA1* depends on TOR signaling.](#)
Khandelwal NK, Chauhan N, Sarkar P, Esquivel BD, Coccetti P, Singh A, Coste AT, Gupta M, Sanglard D, White TC, Chauvel M, d'Enfert C, Chattopadhyay A, Gaur NA, Mondal AK, Prasad R.
J Biol Chem. 2018 Jan 12;293(2):412-432. doi: 10.1074/jbc.M117.807032. Epub 2017 Nov 20.
PMID: 29158264 [Free PMC article.](#)
- 78 [Regulation of azole drug susceptibility by *Candida albicans* protein kinase CK2.](#)
Bruno VM, Mitchell AP.
Mol Microbiol. 2005 Apr;56(2):559-73. doi: 10.1111/j.1365-2958.2005.04562.x.
PMID: 15813744 [Free article.](#)
- 79 [Evaluation of in vitro activity of ciclopirox olamine, butenafine HCl and econazole nitrate against dermatophytes, yeasts and bacteria.](#)
Kokjohn K, Bradley M, Griffiths B, Ghannoum M.
Int J Dermatol. 2003 Sep;42 Suppl 1:11-7. doi: 10.1046/j.1365-4362.42.s1.4.x.
PMID: 12895182
- 80 [Time course of microbiologic outcome and gene expression in *Candida albicans* during and following in vitro and in vivo exposure to fluconazole.](#)
Lepak A, Nett J, Lincoln L, Marchillo K, Andes D.
Antimicrob Agents Chemother. 2006 Apr;50(4):1311-9. doi: 10.1128/AAC.50.4.1311-1319.2006.
PMID: 16569846 [Free PMC article.](#)
- 81 [*Candida albicans* Zn Cluster Transcription Factors Tac1 and Znc1 Are Activated by Farnesol To Upregulate a Transcriptional Program Including the Multidrug Efflux Pump *CDR1*.](#)
Liu Z, Rossi JM, Myers LC.
Antimicrob Agents Chemother. 2018 Oct 24;62(11):e00968-18. doi: 10.1128/AAC.00968-18. Print 2018 Nov.
PMID: 30104273 [Free PMC article.](#)

- 82 [Molecular mechanism of azoles resistant *Candida albicans* in a patient with chronic mucocutaneous candidiasis.](#)
Zhang MR, Zhao F, Wang S, Lv S, Mou Y, Yao CL, Zhou Y, Li FQ.
BMC Infect Dis. 2020 Feb 11;20(1):126. doi: 10.1186/s12879-020-4856-8.
PMID: 32046674 [Free PMC article.](#)
- 83 [Candida albicans response regulator gene SSK1 regulates a subset of genes whose functions are associated with cell wall biosynthesis and adaptation to oxidative stress.](#)
Chauhan N, Inglis D, Roman E, Pla J, Li D, Calera JA, Calderone R.
Eukaryot Cell. 2003 Oct;2(5):1018-24. doi: 10.1128/EC.2.5.1018-1024.2003.
PMID: 14555484 [Free PMC article.](#)
- 84 [Transcriptional regulation of drug-resistance genes in *Candida albicans* biofilms in response to antifungals.](#)
Watamoto T, Samaranyake LP, Egusa H, Yatani H, Seneviratne CJ.
J Med Microbiol. 2011 Sep;60(Pt 9):1241-1247. doi: 10.1099/jmm.0.030692-0. Epub 2011 Apr 7.
PMID: 21474609
- 85 [TAC1, transcriptional activator of CDR genes, is a new transcription factor involved in the regulation of *Candida albicans* ABC transporters CDR1 and CDR2.](#)
Coste AT, Karababa M, Ischer F, Bille J, Sanglard D.
Eukaryot Cell. 2004 Dec;3(6):1639-52. doi: 10.1128/EC.3.6.1639-1652.2004.
PMID: 15590837 [Free PMC article.](#)
- 86 [Molecular characterization of fluconazole resistance in a case of *Candida albicans* ocular infection.](#)
Pancholi P, Park S, Perlin D, Kubin C, Della-Latta P.
J Clin Microbiol. 2004 Dec;42(12):5938-9. doi: 10.1128/JCM.42.12.5938-5939.2004.
PMID: 15583347 [Free PMC article.](#)
- 87 [A clinical and laboratory study of ciclopirox olamine \(8% Batrafen\) in the treatment of onychomycosis.](#)
Yu B, Zhou G, Wang B, Ben Y, Yan H, Shao Y, Wang B.
Chin Med Sci J. 1991 Sep;6(3):166-8.
PMID: 1838936
- 88 [Chelation of intracellular iron with the antifungal agent ciclopirox olamine induces cell death in leukemia and myeloma cells.](#)
Eberhard Y, McDermott SP, Wang X, Gronda M, Venugopal A, Wood TE, Hurren R, Datti A, Batey RA, Wrana J, Antholine WE, Dick JE, Schimmer AD.
Blood. 2009 Oct 1;114(14):3064-73. doi: 10.1182/blood-2009-03-209965. Epub 2009 Jul 9.
PMID: 19589922 [Free article.](#)
- 89 [The siderophore iron transporter of *Candida albicans* \(Sit1p/Arn1p\) mediates uptake of ferrichrome-type siderophores and is required for epithelial invasion.](#)
Heymann P, Gerads M, Schaller M, Dromer F, Winkelmann G, Ernst JF.
Infect Immun. 2002 Sep;70(9):5246-55. doi: 10.1128/IAI.70.9.5246-5255.2002.
PMID: 12183576 [Free PMC article.](#)
- 90 [Competitive Fitness of Fluconazole-Resistant Clinical *Candida albicans* Strains.](#)
Popp C, Hampe IAI, Hertlein T, Ohlsen K, Rogers PD, Morschhäuser J.
Antimicrob Agents Chemother. 2017 Jun 27;61(7):e00584-17. doi: 10.1128/AAC.00584-17. Print 2017 Jul.
PMID: 28461316 [Free PMC article.](#)
- 91 [Ciclopirox olamine lotion 1%: bioequivalence to ciclopirox olamine cream 1% and clinical efficacy in tinea pedis.](#)
Aly R, Maibach HI, Bagatell FK, Dittmar W, Hänel H, Falanga V, Leyden JJ, Roth HL, Stoughton RB, Willis I, et al.
Clin Ther. 1989 May-Jun;11(3):290-303.
PMID: 2663159 Clinical Trial.
- 92 [Mechanism of fluconazole resistance in *Candida albicans* biofilms: phase-specific role of efflux pumps and membrane sterols.](#)

- Mukherjee PK, Chandra J, Kuhn DM, Ghannoum MA.
Infect Immun. 2003 Aug;71(8):4333-40. doi: 10.1128/IAI.71.8.4333-4340.2003.
PMID: 12874310 [Free PMC article](#).
- 93 [The roles of CDR1, CDR2, and MDR1 in kaempferol-induced suppression with fluconazole-resistant *Candida albicans*.](#)
Shao J, Zhang M, Wang T, Li Y, Wang C.
Pharm Biol. 2016;54(6):984-92. doi: 10.3109/13880209.2015.1091483. Epub 2015 Oct 12.
PMID: 26459663
- 94 [Mutations in transcription factor Mrr2p contribute to fluconazole resistance in clinical isolates of *Candida albicans*.](#)
Wang Y, Liu JY, Shi C, Li WJ, Zhao Y, Yan L, Xiang MJ.
Int J Antimicrob Agents. 2015 Nov;46(5):552-9. doi: 10.1016/j.ijantimicag.2015.08.001. Epub 2015 Sep 4.
PMID: 26404130
- 95 [Doxorubicin induces drug efflux pumps in *Candida albicans*.](#)
Kofla G, Turner V, Schulz B, Storch U, Froelich D, Rognon B, Coste AT, Sanglard D, Ruhnke M.
Med Mycol. 2011 Feb;49(2):132-42. doi: 10.3109/13693786.2010.512022. Epub 2010 Sep 6.
PMID: 20818920
- 96 [Rep1p negatively regulating MDR1 efflux pump involved in drug resistance in *Candida albicans*.](#)
Chen CG, Yang YL, Tseng KY, Shih HI, Liou CH, Lin CC, Lo HJ.
Fungal Genet Biol. 2009 Sep;46(9):714-20. doi: 10.1016/j.fgb.2009.06.003. Epub 2009 Jun 13.
PMID: 19527793
- 97 [Aft2, a novel transcription regulator, is required for iron metabolism, oxidative stress, surface adhesion and hyphal development in *Candida albicans*.](#)
Xu N, Cheng X, Yu Q, Qian K, Ding X, Liu R, Zhang B, Xing L, Li M.
PLoS One. 2013 Apr 23;8(4):e62367. doi: 10.1371/journal.pone.0062367. Print 2013.
PMID: 23626810 [Free PMC article](#).
- 98 [cDNA microarray analysis of differential gene expression in *Candida albicans* biofilm exposed to farnesol.](#)
Cao YY, Cao YB, Xu Z, Ying K, Li Y, Xie Y, Zhu ZY, Chen WS, Jiang YY.
Antimicrob Agents Chemother. 2005 Feb;49(2):584-9. doi: 10.1128/AAC.49.2.584-589.2005.
PMID: 15673737 [Free PMC article](#).
- 99 [Farnesol-induced apoptosis in *Candida albicans* is mediated by Cdr1-p extrusion and depletion of intracellular glutathione.](#)
Zhu J, Krom BP, Sanglard D, Intapa C, Dawson CC, Peters BM, Shirtliff ME, Jabra-Rizk MA.
PLoS One. 2011;6(12):e28830. doi: 10.1371/journal.pone.0028830. Epub 2011 Dec 19.
PMID: 22205973 [Free PMC article](#).
- 100 [Quinidine drug resistance transporter knockout *Candida* cells modulate glucose transporter expression and accumulate metabolites leading to enhanced azole drug resistance.](#)
Qadri H, Haseeb Shah A, Ahmad Mir M, Fazal Qureshi M, Prasad R.
Fungal Genet Biol. 2022 Jul;161:103713. doi: 10.1016/j.fgb.2022.103713. Epub 2022 Jun 6.
PMID: 35671978
- 101 [Efficacy of antifungal agents against fungal spores: An in vitro study using microplate laser nephelometry and an artificially infected 3D skin model.](#)
Fink S, Burmester A, Hipler UC, Neumeister C, Götz MR, Wiegand C.
Microbiologyopen. 2022 Feb;11(1):e1257. doi: 10.1002/mbo3.1257.
PMID: 35212482 [Free PMC article](#).
- 102 [Ciclopirox: recent nonclinical and clinical data relevant to its use as a topical antimycotic agent.](#)
Subissi A, Monti D, Togni G, Mailland F.
Drugs. 2010 Nov 12;70(16):2133-52. doi: 10.2165/11538110-000000000-00000.

PMID: 20964457 Review.

- 103 [The Siderophore Transporter Sit1 Determines Susceptibility to the Antifungal VL-2397.](#)
Dietl AM, Misslinger M, Aguiar MM, Ivashov V, Teis D, Pfister J, Decristoforo C, Hermann M, Sullivan SM, Smith LR, Haas H.
Antimicrob Agents Chemother. 2019 Sep 23;63(10):e00807-19. doi: 10.1128/AAC.00807-19. Print 2019 Oct.
PMID: 31405865 [Free PMC article.](#)
- 104 [Candida albicans requires iron to sustain hyphal growth.](#)
Luo G, Wang T, Zhang J, Zhang P, Lu Y.
Biochem Biophys Res Commun. 2021 Jul 5;561:106-112. doi: 10.1016/j.bbrc.2021.05.039. Epub 2021 May 19.
PMID: 34022710
- 105 [SAGA/ADA complex subunit Ada2 is required for Cap1- but not Mrr1-mediated upregulation of the Candida albicans multidrug efflux pump MDR1.](#)
Ramírez-Zavala B, Mogavero S, Schöller E, Sasse C, Rogers PD, Morschhäuser J.
Antimicrob Agents Chemother. 2014 Sep;58(9):5102-10. doi: 10.1128/AAC.03065-14. Epub 2014 Jun 16.
PMID: 24936593 [Free PMC article.](#)
- 106 [Antifungal activities of natural and synthetic iron chelators alone and in combination with azole and polyene antibiotics against Aspergillus fumigatus.](#)
Zarembek KA, Cruz AR, Huang CY, Gallin JI.
Antimicrob Agents Chemother. 2009 Jun;53(6):2654-6. doi: 10.1128/AAC.01547-08. Epub 2009 Mar 23.
PMID: 19307370 [Free PMC article.](#)
- 107 [Rapid quantification of drug resistance gene expression in Candida albicans by reverse transcriptase LightCycler PCR and fluorescent probe hybridization.](#)
Frade JP, Warnock DW, Arthington-Skaggs BA.
J Clin Microbiol. 2004 May;42(5):2085-93. doi: 10.1128/JCM.42.5.2085-2093.2004.
PMID: 15131174 [Free PMC article.](#)
- 108 [Genome-wide expression and location analyses of the Candida albicans Tac1p regulon.](#)
Liu TT, Znaidi S, Barker KS, Xu L, Homayouni R, Saidane S, Morschhäuser J, Nantel A, Raymond M, Rogers PD.
Eukaryot Cell. 2007 Nov;6(11):2122-38. doi: 10.1128/EC.00327-07. Epub 2007 Sep 28.
PMID: 17905926 [Free PMC article.](#)
- 109 [A nonribosomal peptide synthetase mediates siderophore production and virulence in the citrus fungal pathogen Alternaria alternata.](#)
Chen LH, Lin CH, Chung KR.
Mol Plant Pathol. 2013 Jun;14(5):497-505. doi: 10.1111/mpp.12021. Epub 2013 Feb 26.
PMID: 23438010 [Free PMC article.](#)
- 110 [Global Transcriptomic Analysis of the Candida albicans Response to Treatment with a Novel Inhibitor of Filamentation.](#)
Romo JA, Zhang H, Cai H, Kadosh D, Koehler JR, Saville SP, Wang Y, Lopez-Ribot JL.
mSphere. 2019 Sep 11;4(5):e00620-19. doi: 10.1128/mSphere.00620-19.
PMID: 31511371 [Free PMC article.](#)
- 111 [Candida albicans ferric reductases are differentially regulated in response to distinct forms of iron limitation by the Rim101 and CBF transcription factors.](#)
Baek YU, Li M, Davis DA.
Eukaryot Cell. 2008 Jul;7(7):1168-79. doi: 10.1128/EC.00108-08. Epub 2008 May 23.
PMID: 18503007 [Free PMC article.](#)
- 112 [Environmentally contingent control of Candida albicans cell wall integrity by transcriptional regulator Cup9.](#)
Ichikawa Y, Bruno VM, Woolford CA, Kim H, Do E, Brewer GC, Mitchell AP.
Genetics. 2021 Jul 14;218(3):iyab075. doi: 10.1093/genetics/iyab075.
PMID: 33989396 [Free PMC article.](#)

- 113 [Identification of genes upregulated by the transcription factor Bcr1 that are involved in impermeability, impenetrability, and drug resistance of *Candida albicans* a/ \$\alpha\$ biofilms.](#)
Srikantha T, Daniels KJ, Pujol C, Kim E, Soll DR.
Eukaryot Cell. 2013 Jun;12(6):875-88. doi: 10.1128/EC.00071-13. Epub 2013 Apr 5.
PMID: 23563485 [Free PMC article.](#)
- 114 [Physiological and transcriptional profiling of surfactin exerted antifungal effect against *Candida albicans*.](#)
Jakab Á, Kovács F, Balla N, Tóth Z, Ragyák Á, Sajtos Z, Csillag K, Nagy-Köteles C, Nemes D, Bácskay I, Pócsi I, Majoros L, Kovács ÁT, Kovács R.
Biomed Pharmacother. 2022 Aug;152:113220. doi: 10.1016/j.biopha.2022.113220. Epub 2022 Jun 4.
PMID: 35671583 [Free article.](#)
- 115 [Antifungal activity of styrylpyridinium compounds against *Candida albicans*.](#)
Vaitkienė S, Kuliešienė N, Sakalauskaitė S, Bekere L, Krasnova L, Vigante B, Duburs G, Daugelavičius R.
Chem Biol Drug Des. 2021 Feb;97(2):253-265. doi: 10.1111/cbdd.13777. Epub 2020 Aug 18.
PMID: 32772494
- 116 [Pathway analysis of *Candida albicans* survival and virulence determinants in a murine infection model.](#)
Becker JM, Kauffman SJ, Hauser M, Huang L, Lin M, Sillaots S, Jiang B, Xu D, Roemer T.
Proc Natl Acad Sci U S A. 2010 Dec 21;107(51):22044-9. doi: 10.1073/pnas.1009845107. Epub 2010 Dec 6.
PMID: 21135205 [Free PMC article.](#)
- 117 [Functional analysis of cis- and trans-acting elements of the *Candida albicans* CDR2 promoter with a novel promoter reporter system.](#)
Coste AT, Crittin J, Bauser C, Rohde B, Sanglard D.
Eukaryot Cell. 2009 Aug;8(8):1250-67. doi: 10.1128/EC.00069-09. Epub 2009 Jun 26.
PMID: 19561319 [Free PMC article.](#)
- 118 [Functional characterization of the small heat shock protein Hsp12p from *Candida albicans*.](#)
Fu MS, De Sordi L, Mühlischlegel FA.
PLoS One. 2012;7(8):e42894. doi: 10.1371/journal.pone.0042894. Epub 2012 Aug 7.
PMID: 22880130 [Free PMC article.](#)
- 119 [Antimycotic ciclopirox olamine in the diabetic environment promotes angiogenesis and enhances wound healing.](#)
Ko SH, Nauta A, Morrison SD, Zhou H, Zimmermann A, Gurtner GC, Ding S, Longaker MT.
PLoS One. 2011;6(11):e27844. doi: 10.1371/journal.pone.0027844. Epub 2011 Nov 18.
PMID: 22125629 [Free PMC article.](#)
- 120 [Effects of fluconazole on the secretome, the wall proteome, and wall integrity of the clinical fungus *Candida albicans*.](#)
Sorgo AG, Heilmann CJ, Dekker HL, Bekker M, Brul S, de Koster CG, de Koning LJ, Klis FM.
Eukaryot Cell. 2011 Aug;10(8):1071-81. doi: 10.1128/EC.05011-11. Epub 2011 May 27.
PMID: 21622905 [Free PMC article.](#)
- 121 [Iron Metabolism, Pseudohypha Production, and Biofilm Formation through a Multicopper Oxidase in the Human-Pathogenic Fungus *Candida parapsilosis*.](#)
Chakraborty T, Tóth Z, Tóth R, Vágvölgyi C, Gácsér A.
mSphere. 2020 May 13;5(3):e00227-20. doi: 10.1128/mSphere.00227-20.
PMID: 32404511 [Free PMC article.](#)
- 122 [Genome-wide mapping of the coactivator Ada2p yields insight into the functional roles of SAGA/ADA complex in *Candida albicans*.](#)
Sellam A, Askew C, Epp E, Lavoie H, Whiteway M, Nantel A.
Mol Biol Cell. 2009 May;20(9):2389-400. doi: 10.1091/mbc.e08-11-1093. Epub 2009 Mar 11.
PMID: 19279142 [Free PMC article.](#)
- 123 [An antisense-based functional genomics approach for identification of genes critical for growth of *Candida albicans*.](#)
De Backer MD, Nelissen B, Logghe M, Viaene J, Loonen I, Vandoninck S, de Hoogt R, Dewaele S, Simons FA, Verhasselt P, Vanhoof G, Contreras R, Luyten WH.

Nat Biotechnol. 2001 Mar;19(3):235-41. doi: 10.1038/85677.
PMID: 11231556

- 124 **Involvement of the mitogen activated protein kinase Hog1p in the response of *Candida albicans* to iron availability.**
Kaba HE, Nimtz M, Müller PP, Bilitewski U.
BMC Microbiol. 2013 Jan 24;13:16. doi: 10.1186/1471-2180-13-16.
PMID: 23347662 [Free PMC article](#).
- 125 **Selective Metal Chelation by a Thiosemicarbazone Derivative Interferes with Mitochondrial Respiration and Ribosome Biogenesis in *Candida albicans*.**
Duan X, Xie Z, Ma L, Jin X, Zhang M, Xu Y, Liu Y, Lou H, Chang W.
Microbiol Spectr. 2022 Jun 29;10(3):e0195121. doi: 10.1128/spectrum.01951-21. Epub 2022 Apr 18.
PMID: 35412374 [Free PMC article](#).
- 126 **Identification of GIG1, a GlcNAc-induced gene in *Candida albicans* needed for normal sensitivity to the chitin synthase inhibitor nikkomycin Z.**
Gunasekera A, Alvarez FJ, Douglas LM, Wang HX, Rosebrock AP, Konopka JB.
Eukaryot Cell. 2010 Oct;9(10):1476-83. doi: 10.1128/EC.00178-10. Epub 2010 Jul 30.
PMID: 20675577 [Free PMC article](#).
- 127 **A permease encoded by STL1 is required for active glycerol uptake by *Candida albicans*.**
Kayingo G, Martins A, Andrie R, Neves L, Lucas C, Wong B.
Microbiology (Reading). 2009 May;155(Pt 5):1547-1557. doi: 10.1099/mic.0.023457-0. Epub 2009 Apr 21.
PMID: 19383674 [Free PMC article](#).
- 128 **Mitochondrial perturbation reduces susceptibility to xenobiotics through altered efflux in *Candida albicans*.**
Hossain S, Veri AO, Liu Z, Iyer KR, O'Meara TR, Robbins N, Cowen LE.
Genetics. 2021 Oct 2;219(2):iyab095. doi: 10.1093/genetics/iyab095.
PMID: 34143207 [Free PMC article](#).
- 129 **The calcium channel blocker verapamil inhibits oxidative stress response in *Candida albicans*.**
Yu Q, Xiao C, Zhang K, Jia C, Ding X, Zhang B, Wang Y, Li M.
Mycopathologia. 2014 Apr;177(3-4):167-77. doi: 10.1007/s11046-014-9735-7. Epub 2014 Feb 28.
PMID: 24577794
- 130 **Genome-wide transcriptional profiling of the cyclic AMP-dependent signaling pathway during morphogenic transitions of *Candida albicans*.**
Bahn YS, Molenda M, Staab JF, Lyman CA, Gordon LJ, Sundstrom P.
Eukaryot Cell. 2007 Dec;6(12):2376-90. doi: 10.1128/EC.00318-07. Epub 2007 Oct 19.
PMID: 17951520 [Free PMC article](#).
- 131 **Fungicidal drugs induce a common oxidative-damage cellular death pathway.**
Belenky P, Camacho D, Collins JJ.
Cell Rep. 2013 Feb 21;3(2):350-8. doi: 10.1016/j.celrep.2012.12.021. Epub 2013 Feb 14.
PMID: 23416050 [Free PMC article](#).
- 132 **Transcriptional profiling of the *Candida albicans* Ssk1p receiver domain point mutants and their virulence.**
Menon V, De Bernardis F, Calderone R, Chauhan N.
FEMS Yeast Res. 2008 Aug;8(5):756-63. doi: 10.1111/j.1567-1364.2008.00404.x. Epub 2008 Jul 8.
PMID: 18616606 [Free PMC article](#).
- 133 **The δ subunit of F_1F_0 -ATP synthase is required for pathogenicity of *Candida albicans*.**
Li S, Zhao Y, Zhang Y, Zhang Y, Zhang Z, Tang C, Weng L, Chen X, Zhang G, Zhang H.
Nat Commun. 2021 Oct 15;12(1):6041. doi: 10.1038/s41467-021-26313-9.
PMID: 34654833 [Free PMC article](#).

- 134 [RNA-mediated gene silencing in *Candida albicans*: inhibition of hyphae formation by use of RNAi technology.](#)
Moazeni M, Khoramizadeh MR, Kordbacheh P, Sepehrizadeh Z, Zeraati H, Noorbakhsh F, Teimoori-Toolabi L, Rezaie S.
Mycopathologia. 2012 Sep;174(3):177-85. doi: 10.1007/s11046-012-9539-6. Epub 2012 Apr 7.
PMID: 22484810
- 135 [Functional characterization of the ferroxidase, permease high-affinity iron transport complex from *Candida albicans*.](#)
Ziegler L, Terzulli A, Gaur R, McCarthy R, Kosman DJ.
Mol Microbiol. 2011 Jul;81(2):473-85. doi: 10.1111/j.1365-2958.2011.07704.x. Epub 2011 Jun 7.
PMID: 21645130 [Free PMC article.](#)
- 136 [Glucose promotes stress resistance in the fungal pathogen *Candida albicans*.](#)
Rodaki A, Bohovych IM, Enjalbert B, Young T, Odds FC, Gow NA, Brown AJ.
Mol Biol Cell. 2009 Nov;20(22):4845-55. doi: 10.1091/mbc.e09-01-0002. Epub 2009 Sep 16.
PMID: 19759180 [Free PMC article.](#)
- 137 [Triclosan antagonizes fluconazole activity against *Candida albicans*.](#)
Higgins J, Pinjon E, Oltean HN, White TC, Kelly SL, Martel CM, Sullivan DJ, Coleman DC, Moran GP.
J Dent Res. 2012 Jan;91(1):65-70. doi: 10.1177/0022034511425046. Epub 2011 Oct 4.
PMID: 21972257 [Free PMC article.](#)
- 138 [Antifungal activity of MAF-1A peptide against *Candida albicans*.](#)
Cheng R, Xu Q, Hu F, Li H, Yang B, Duan Z, Zhang K, Wu J, Li W, Luo Z.
Int Microbiol. 2021 May;24(2):233-242. doi: 10.1007/s10123-021-00159-z. Epub 2021 Jan 16.
PMID: 33452940 [Free PMC article.](#)
- 139 [Copper Availability Influences the Transcriptomic Response of *Candida albicans* to Fluconazole Stress.](#)
Hunsaker EW, Yu CA, Franz KJ.
G3 (Bethesda). 2021 Apr 15;11(4):jkab065. doi: 10.1093/g3journal/jkab065.
PMID: 33693623 [Free PMC article.](#)
- 140 [Sulfone derivatives reduce growth, adhesion and aspartic protease SAP2 gene expression.](#)
Bondaryk M, Ochal Z, Staniszewska M.
World J Microbiol Biotechnol. 2014 Sep;30(9):2511-21. doi: 10.1007/s11274-014-1676-2. Epub 2014 Jun 1.
PMID: 24880247
- 141 [Regulation of copper toxicity by *Candida albicans* GPA2.](#)
Schwartz JA, Olarte KT, Michalek JL, Jandu GS, Michel SL, Bruno VM.
Eukaryot Cell. 2013 Jul;12(7):954-61. doi: 10.1128/EC.00344-12. Epub 2013 Apr 12.
PMID: 23584994 [Free PMC article.](#)
- 142 [Elevated catalase expression in a fungal pathogen is a double-edged sword of iron.](#)
Pradhan A, Herrero-de-Dios C, Belmonte R, Budge S, Lopez Garcia A, Kolmogorova A, Lee KK, Martin BD, Ribeiro A, Bebes A, Yucel R, Gow NAR, Munro CA, MacCallum DM, Quinn J, Brown AJP.
PLoS Pathog. 2017 May 22;13(5):e1006405. doi: 10.1371/journal.ppat.1006405. eCollection 2017 May.
PMID: 28542620 [Free PMC article.](#)
- 143 [Antifungal activity of fused Mannich ketones triggers an oxidative stress response and is Cap1-dependent in *Candida albicans*.](#)
Rossignol T, Kocsis B, Bouquet O, Kustos I, Kilár F, Nyul A, Jakus PB, Rajbhandari K, Prókai L, d'Enfert C, Lóránd T.
PLoS One. 2013 Apr 30;8(4):e62142. doi: 10.1371/journal.pone.0062142. Print 2013.
PMID: 23646117 [Free PMC article.](#)
- 144 [Increased filamentous growth of *Candida albicans* in simulated microgravity.](#)
Altenburg SD, Nielsen-Preiss SM, Hyman LE.
Genomics Proteomics Bioinformatics. 2008 Mar;6(1):42-50. doi: 10.1016/S1672-0229(08)60019-4.
PMID: 18558384 [Free PMC article.](#)

- 145 [The role of *Candida albicans* homologous recombination factors Rad54 and Rdh54 in DNA damage sensitivity.](#)
Hoot SJ, Zheng X, Potenski CJ, White TC, Klein HL.
BMC Microbiol. 2011 Sep 27;11:214. doi: 10.1186/1471-2180-11-214.
PMID: 21951709 [Free PMC article.](#)
- 146 [Camphor and Eucalyptol-Anticandidal Spectrum, Antivirulence Effect, Efflux Pumps Interference and Cytotoxicity.](#)
Ivanov M, Kannan A, Stojković DS, Glamočlija J, Calhelha RC, Ferreira ICFR, Sanglard D, Soković M.
Int J Mol Sci. 2021 Jan 6;22(2):483. doi: 10.3390/ijms22020483.
PMID: 33418931 [Free PMC article.](#)
- 147 [The two-component signal transduction system and its regulation in *Candida albicans*.](#)
Liao B, Ye X, Chen X, Zhou Y, Cheng L, Zhou X, Ren B.
Virulence. 2021 Dec;12(1):1884-1899. doi: 10.1080/21505594.2021.1949883.
PMID: 34233595 [Free PMC article.](#) Review.
- 148 [Glutathione utilization by *Candida albicans* requires a functional glutathione degradation \(DUG\) pathway and OPT7, an unusual member of the oligopeptide transporter family.](#)
Desai PR, Thakur A, Ganguli D, Paul S, Morschhäuser J, Bachhawat AK.
J Biol Chem. 2011 Dec 2;286(48):41183-41194. doi: 10.1074/jbc.M111.272377. Epub 2011 Oct 12.
PMID: 21994941 [Free PMC article.](#)
- 149 [Elucidation of potentially virulent factors of *Candida albicans* during serum adaptation by using quantitative time-course proteomics.](#)
Aoki W, Tatsukami Y, Kitahara N, Matsui K, Morisaka H, Kuroda K, Ueda M.
J Proteomics. 2013 Oct 8;9(1):417-29. doi: 10.1016/j.jpro.2013.07.031. Epub 2013 Aug 12.
PMID: 23948566
- 150 [Bcr1 functions downstream of Ssd1 to mediate antimicrobial peptide resistance in *Candida albicans*.](#)
Jung SI, Finkel JS, Solis NV, Chaili S, Mitchell AP, Yeaman MR, Filler SG.
Eukaryot Cell. 2013 Mar;12(3):411-9. doi: 10.1128/EC.00285-12. Epub 2013 Jan 11.
PMID: 23314964 [Free PMC article.](#)
- 151 [Post-transcriptional regulation of the Sef1 transcription factor controls the virulence of *Candida albicans* in its mammalian host.](#)
Chen C, Noble SM.
PLoS Pathog. 2012;8(11):e1002956. doi: 10.1371/journal.ppat.1002956. Epub 2012 Nov 1.
PMID: 23133381 [Free PMC article.](#)
- 152 [Cap2-HAP complex is a critical transcriptional regulator that has dual but contrasting roles in regulation of iron homeostasis in *Candida albicans*.](#)
Singh RP, Prasad HK, Sinha I, Agarwal N, Natarajan K.
J Biol Chem. 2011 Jul 15;286(28):25154-70. doi: 10.1074/jbc.M111.233569. Epub 2011 May 18.
PMID: 21592964 [Free PMC article.](#)
- 153 [A proteomic analysis of the salt, cadmium and peroxide stress responses in *Candida albicans* and the role of the Hog1 stress-activated MAPK in regulating the stress-induced proteome.](#)
Yin Z, Stead D, Walker J, Selway L, Smith DA, Brown AJ, Quinn J.
Proteomics. 2009 Oct;9(20):4686-703. doi: 10.1002/pmic.200800958.
PMID: 19824012
- 154 [Calcineurin signaling and membrane lipid homeostasis regulates iron mediated multidrug resistance mechanisms in *Candida albicans*.](#)
Hameed S, Dhamgaye S, Singh A, Goswami SK, Prasad R.
PLoS One. 2011 Apr 12;6(4):e18684. doi: 10.1371/journal.pone.0018684.
PMID: 21533276 [Free PMC article.](#)

- 155 [Iron-responsive chromatin remodelling and MAPK signalling enhance adhesion in *Candida albicans*.](#)
Puri S, Lai WK, Rizzo JM, Buck MJ, Edgerton M.
Mol Microbiol. 2014 Jul;93(2):291-305. doi: 10.1111/mmi.12659. Epub 2014 Jun 15.
PMID: 24889932 [Free PMC article.](#)
- 156 [Sugar and iron: Toward understanding the antibacterial effect of ciclopirox in *Escherichia coli*.](#)
Conley ZC, Carlson-Banning KM, Carter AG, de la Cova A, Song Y, Zechiedrich L.
PLoS One. 2019 Jan 11;14(1):e0210547. doi: 10.1371/journal.pone.0210547. eCollection 2019.
PMID: 30633761 [Free PMC article.](#)
- 157 [Exploring the druggable proteome of *Candida* species through comprehensive computational analysis.](#)
Mukherjee S, Kundu I, Askari M, Barai RS, Venkatesh KV, Idicula-Thomas S.
Genomics. 2021 Mar;113(2):728-739. doi: 10.1016/j.ygeno.2020.12.040. Epub 2021 Jan 20.
PMID: 33484798 [Free article.](#)
- 158 [A potent plant-derived antifungal acetylenic acid mediates its activity by interfering with fatty acid homeostasis.](#)
Xu T, Tripathi SK, Feng Q, Lorenz MC, Wright MA, Jacob MR, Mask MM, Baerson SR, Li XC, Clark AM, Agarwal AK.
Antimicrob Agents Chemother. 2012 Jun;56(6):2894-907. doi: 10.1128/AAC.05663-11. Epub 2012 Mar 19.
PMID: 22430960 [Free PMC article.](#)
- 159 [LncRNA DINOR is a virulence factor and global regulator of stress responses in *Candida auris*.](#)
Gao J, Chow EWL, Wang H, Xu X, Cai C, Song Y, Wang J, Wang Y.
Nat Microbiol. 2021 Jul;6(7):842-851. doi: 10.1038/s41564-021-00915-x. Epub 2021 Jun 3.
PMID: 34083769
- 160 [Candida albicans gene encoding resistance to benomyl and methotrexate is a multidrug resistance gene.](#)
Ben-Yaacov R, Knoller S, Caldwell GA, Becker JM, Koltin Y.
Antimicrob Agents Chemother. 1994 Apr;38(4):648-52. doi: 10.1128/AAC.38.4.648.
PMID: 8031026 [Free PMC article.](#)
- 161 [The high affinity iron permease is a key virulence factor required for *Rhizopus oryzae* pathogenesis.](#)
Ibrahim AS, Gebremariam T, Lin L, Luo G, Husseiny MI, Skory CD, Fu Y, French SW, Edwards JE Jr, Spellberg B.
Mol Microbiol. 2010 Aug;77(3):587-604. doi: 10.1111/j.1365-2958.2010.07234.x. Epub 2010 Jun 1.
PMID: 20545847 [Free PMC article.](#)
- 162 [Regulation of the hypoxic response in *Candida albicans*.](#)
Synnott JM, Guida A, Mulhern-Haughey S, Higgins DG, Butler G.
Eukaryot Cell. 2010 Nov;9(11):1734-46. doi: 10.1128/EC.00159-10. Epub 2010 Sep 24.
PMID: 20870877 [Free PMC article.](#)
- 163 [Robust utilization of phospholipase-generated metabolites, glycerophosphodiester, by *Candida albicans*: role of the CaGit1 permease.](#)
Bishop AC, Sun T, Johnson ME, Bruno VM, Patton-Vogt J.
Eukaryot Cell. 2011 Dec;10(12):1618-27. doi: 10.1128/EC.05160-11. Epub 2011 Oct 7.
PMID: 21984707 [Free PMC article.](#)
- 164 [Differential resistance to oxidants and production of hydrolytic enzymes in *Candida albicans*.](#)
Abegg MA, Lucietto R, Alabarse PV, Mendes MF, Benfato MS.
Mycopathologia. 2011 Jan;171(1):35-41. doi: 10.1007/s11046-010-9346-x. Epub 2010 Jul 15.
PMID: 20632209
- 165 [Roles of different peptide transporters in nutrient acquisition in *Candida albicans*.](#)
Dunkel N, Hertlein T, Franz R, Reuß O, Sasse C, Schäfer T, Ohlsen K, Morschhäuser J.
Eukaryot Cell. 2013 Apr;12(4):520-8. doi: 10.1128/EC.00008-13. Epub 2013 Feb 2.
PMID: 23376942 [Free PMC article.](#)

- 166 [Differential gene expression in auristatin PHE-treated *Cryptococcus neoformans*.](#)
Woyke T, Berens ME, Hoelzinger DB, Pettit GR, Winkelmann G, Pettit RK.
Antimicrob Agents Chemother. 2004 Feb;48(2):561-7. doi: 10.1128/AAC.48.2.561-567.2004.
PMID: 14742210 [Free PMC article.](#)
- 167 [Differential Roles of a Family of Flavodoxin-Like Proteins That Promote Resistance to Quinone-Mediated Oxidative Stress in *Candida albicans*.](#)
Foderaro JE, Konopka JB.
Infect Immun. 2021 Mar 17;89(4):e00670-20. doi: 10.1128/IAI.00670-20. Print 2021 Mar 17.
PMID: 33468576 [Free PMC article.](#)
- 168 [Small molecule inhibitors of the *Candida albicans* budded-to-hyphal transition act through multiple signaling pathways.](#)
Midkiff J, Borochoff-Porte N, White D, Johnson DI.
PLoS One. 2011;6(9):e25395. doi: 10.1371/journal.pone.0025395. Epub 2011 Sep 26.
PMID: 21966518 [Free PMC article.](#)
- 169 [Blocking eIF5A modification in cervical cancer cells alters the expression of cancer-related genes and suppresses cell proliferation.](#)
Mémin E, Hoque M, Jain MR, Heller DS, Li H, Cracchiolo B, Hanauske-Abel HM, Pe'ery T, Mathews MB.
Cancer Res. 2014 Jan 15;74(2):552-62. doi: 10.1158/0008-5472.CAN-13-0474. Epub 2013 Nov 12.
PMID: 24220243 [Free PMC article.](#)
- 170 [Genomic profiling of the response of *Candida albicans* to itraconazole treatment using a DNA microarray.](#)
De Backer MD, Ilyina T, Ma XJ, Vandoninck S, Luyten WH, Vanden Bossche H.
Antimicrob Agents Chemother. 2001 Jun;45(6):1660-70. doi: 10.1128/AAC.45.6.1660-1670.2001.
PMID: 11353609 [Free PMC article.](#)
- 171 [Soybean toxin \(SBTX\) impairs fungal growth by interfering with molecular transport, carbohydrate/amino acid metabolism and drug/stress responses.](#)
Morais JK, Bader O, Weig M, Oliveira JT, Arantes MR, Gomes VM, Da Cunha M, Oliveira HD, Sousa DO, Lourencao AL, Vasconcelos IM.
PLoS One. 2013 Jul 22;8(7):e70425. doi: 10.1371/journal.pone.0070425. Print 2013.
PMID: 23894655 [Free PMC article.](#)
- 172 [Novel antifungal drug discovery based on targeting pathways regulating the fungus-conserved Upc2 transcription factor.](#)
Gallo-Ebert C, Donigan M, Stroke IL, Swanson RN, Manners MT, Francisco J, Toner G, Gallagher D, Huang CY, Gygas SE, Webb M, Nickels JT Jr.
Antimicrob Agents Chemother. 2014;58(1):258-66. doi: 10.1128/AAC.01677-13. Epub 2013 Oct 21.
PMID: 24145546 [Free PMC article.](#)
- 173 [Sensitivity to nikkomycin Z in *Candida albicans*: role of peptide permeases.](#)
Yadan JC, Gonneau M, Sarthou P, Le Goffic F.
J Bacteriol. 1984 Dec;160(3):884-8. doi: 10.1128/jb.160.3.884-888.1984.
PMID: 6389515 [Free PMC article.](#)
- 174 [Effect of *Allium cepa* loaded polyacrylonitrile and polyvinyl pyrrolidone nanofibers on *Candida albicans* growth and the expression of *CDR1* and *CDR2* genes.](#)
Nademi A, Shams-Ghahfarokhi M, Razzaghi-Abyaneh M.
Curr Med Mycol. 2021 Dec;7(4):28-33. doi: 10.18502/cmm.7.4.8408.
PMID: 35747734 [Free PMC article.](#)
- 175 [Genome-wide screening and in silico gene knockout to predict potential candidates for drug designing against *Candida albicans*.](#)
Verma R, Pradhan D, Maseet M, Singh H, Jain AK, Khan LA.
Infect Genet Evol. 2020 Jun;80:104196. doi: 10.1016/j.meegid.2020.104196. Epub 2020 Jan 16.
PMID: 31954918

- [Bilayer mucoadhesive buccal films with prolonged release of ciclopirox olamine for the treatment of oral candidiasis: In vitro development, ex vivo permeation testing, pharmacokinetic and efficacy study in rabbits.](#)
Gajdošová M, Vetchý D, Muselík J, Gajdziok J, Juřica J, Vetchá M, Hauptman K, Jekl V.
Int J Pharm. 2021 Jan 5;592:120086. doi: 10.1016/j.ijpharm.2020.120086. Epub 2020 Nov 12.
PMID: 33188896
- 177 [A phylogenetically-restricted essential cell cycle progression factor in the human pathogen *Candida albicans*.](#)
Jaitly P, Legrand M, Das A, Patel T, Chauvel M, Maufrais C, d'Enfert C, Sanyal K.
Nat Commun. 2022 Jul 23;13(1):4256. doi: 10.1038/s41467-022-31980-3.
PMID: 35869076 [Free PMC article](#).
- 178 [Relationship between chloroquine toxicity and iron acquisition in *Saccharomyces cerevisiae*.](#)
Emerson LR, Nau ME, Martin RK, Kyle DE, Vahey M, Wirth DF.
Antimicrob Agents Chemother. 2002 Mar;46(3):787-96. doi: 10.1128/AAC.46.3.787-796.2002.
PMID: 11850263 [Free PMC article](#).
- 179 [Novel mTOR inhibitory activity of ciclopirox enhances parthenolide antileukemia activity.](#)
Sen S, Hassane DC, Corbett C, Becker MW, Jordan CT, Guzman ML.
Exp Hematol. 2013 Sep;41(9):799-807.e4. doi: 10.1016/j.exphem.2013.04.012. Epub 2013 May 6.
PMID: 23660068 [Free PMC article](#). [Clinical Trial](#).
- 180 [MFS transportome of the human pathogenic yeast *Candida albicans*.](#)
Gaur M, Puri N, Manoharlal R, Rai V, Mukhopadhyay G, Choudhury D, Prasad R.
BMC Genomics. 2008 Dec 3;9:579. doi: 10.1186/1471-2164-9-579.
PMID: 19055746 [Free PMC article](#).
- 181 [Hinokitiol chelates intracellular iron to retard fungal growth by disturbing mitochondrial respiration.](#)
Jin X, Zhang M, Lu J, Duan X, Chen J, Liu Y, Chang W, Lou H.
J Adv Res. 2021 Jun 17;34:65-77. doi: 10.1016/j.jare.2021.06.016. eCollection 2021 Dec.
PMID: 35024181 [Free PMC article](#).
- 182 [Regulatory network modelling of iron acquisition by a fungal pathogen in contact with epithelial cells.](#)
Linde J, Wilson D, Hube B, Guthke R.
BMC Syst Biol. 2010 Nov 4;4:148. doi: 10.1186/1752-0509-4-148.
PMID: 21050438 [Free PMC article](#).
- 183 [Interesting antifungal drug targets in the central metabolism of *Candida albicans*.](#)
Wijnants S, Vreys J, Van Dijck P.
Trends Pharmacol Sci. 2022 Jan;43(1):69-79. doi: 10.1016/j.tips.2021.10.003. Epub 2021 Oct 29.
PMID: 34756759 [Review](#).
- 184 [High-content screening identifies inhibitors of oxidative stress-induced parthanatos: cytoprotective and anti-inflammatory effects of ciclopirox.](#)
Regdon Z, Demény MA, Kovács K, Hajnády Z, Nagy-Pénzes M, Bakondi E, Kiss A, Hegedűs C, Virág L.
Br J Pharmacol. 2021 Mar;178(5):1095-1113. doi: 10.1111/bph.15344. Epub 2021 Jan 26.
PMID: 33332573 [Free article](#).
- 185 [Mechanistic Insights into the Anticandidal Action of Vanillin Reveal Disruption of Cell Surface Integrity and Mitochondrial Functioning.](#)
Saibabu V, Fatima Z, Khan LA, Hameed S.
Infect Disord Drug Targets. 2021;21(3):405-415. doi: 10.2174/1871526520666200702134110.
PMID: 32614756
- 186 [The siderophore repressor SreA maintains growth, hydrogen peroxide resistance, and cell wall integrity in the phytopathogenic fungus *Alternaria alternata*.](#)
Chung KR, Wu PC, Chen YK, Yago JI.

- Fungal Genet Biol. 2020 Jun;139:103384. doi: 10.1016/j.fgb.2020.103384. Epub 2020 Apr 9.
PMID: 32278718
- 187 [Transcription profiling of cyclic AMP signaling in *Candida albicans*.](#)
Harcus D, Nantel A, Marcil A, Rigby T, Whiteway M.
Mol Biol Cell. 2004 Oct;15(10):4490-9. doi: 10.1091/mbc.e04-02-0144. Epub 2004 Jul 21.
PMID: 15269278 [Free PMC article.](#)
- 188 [DNA methylation regulates phenotype-dependent transcriptional activity in *Candida albicans*.](#)
Mishra PK, Baum M, Carbon J.
Proc Natl Acad Sci U S A. 2011 Jul 19;108(29):11965-70. doi: 10.1073/pnas.1109631108. Epub 2011 Jul 5.
PMID: 21730141 [Free PMC article.](#)
- 189 [Methylglyoxal-Scavenging Enzyme Activities Trigger Erythroascorbate Peroxidase and Cytochrome c Peroxidase in Glutathione-Depleted *Candida albicans*.](#)
Kang SO, Kwak MK.
J Microbiol Biotechnol. 2021 Jan 28;31(1):79-91. doi: 10.4014/jmb.2010.10057.
PMID: 33203822 [Free article.](#)
- 190 [Specific induction of fibronectin binding activity by hemoglobin in *Candida albicans* grown in defined media.](#)
Yan S, Nègre E, Cashel JA, Guo N, Lyman CA, Walsh TJ, Roberts DD.
Infect Immun. 1996 Aug;64(8):2930-5. doi: 10.1128/iai.64.8.2930-2935.1996.
PMID: 8757815 [Free PMC article.](#)
- 191 [Impact of the antiproliferative agent ciclopirox olamine treatment on stem cells proteome.](#)
Dihazi GH, Bibi A, Jahn O, Nolte J, Mueller GA, Engel W, Dihazi H.
World J Stem Cells. 2013 Jan 26;5(1):9-25. doi: 10.4252/wjsc.v5.i1.9.
PMID: 23362436 [Free PMC article.](#)
- 192 [Role of the regulatory genes SEF1, VMA1 and SFU1 in riboflavin synthesis in the flavinogenic yeast *Candida famata* \(*Candida flareri*\).](#)
Andreieva Y, Petrovska Y, Lyzak O, Liu W, Kang Y, Dmytruk K, Sibirny A.
Yeast. 2020 Sep;37(9-10):497-504. doi: 10.1002/yea.3503. Epub 2020 Jul 2.
PMID: 32529692
- 193 [Reactive oxygen and nitrogen species are crucial for the antifungal activity of amorolfine and ciclopirox olamine against the dermatophyte *Trichophyton interdigitale*.](#)
Carmo PHF, Freitas GJC, Dornelas JCM, Almeida BCT, Baltazar LM, Ferreira GF, Peres NTA, Santos DA.
Med Mycol. 2022 Aug 18;60(8):myac058. doi: 10.1093/mmy/myac058.
PMID: 35896502
- 194 [Metabolic, structural, and proteomic changes in *Candida albicans* cells induced by the protein-carbohydrate fraction of *Dendrobaena veneta* coelomic fluid.](#)
Fiołka MJ, Czaplewska P, Wójcik-Mieszawska S, Lewandowska A, Lewtak K, Sofińska-Chmiel W, Buchwald T.
Sci Rep. 2021 Aug 18;11(1):16711. doi: 10.1038/s41598-021-96093-1.
PMID: 34408181 [Free PMC article.](#)
- 195 [GNP2 Encodes a High-Specificity Proline Permease in *Candida albicans*.](#)
Garbe E, Miramón P, Gerwien F, Ueberschaar N, Hansske-Braun L, Brandt P, Böttcher B, Lorenz M, Vylkova S.
mBio. 2022 Jan 25;13(1):e0314221. doi: 10.1128/mbio.03142-21. Online ahead of print.
PMID: 35073760 [Free PMC article.](#)
- 196 [Assessment of Physical, Mechanical, Biopharmaceutical Properties of Emulgels and Bigel Containing Ciclopirox Olamine.](#)
Mazurkevičiūtė A, Matulytė I, Ivaškienė M, Žilnius M.
Polymers (Basel). 2022 Jul 7;14(14):2783. doi: 10.3390/polym14142783.
PMID: 35890559 [Free PMC article.](#)

- 197 [Candida albicans Potassium Transporters.](#)
Ruiz-Castilla FJ, Ruiz Pérez FS, Ramos-Moreno L, Ramos J.
Int J Mol Sci. 2022 Apr 28;23(9):4884. doi: 10.3390/ijms23094884.
PMID: 35563275 [Free PMC article](#). Review.
- 198 [Candida albicans specializations for iron homeostasis: from commensalism to virulence.](#)
Noble SM.
Curr Opin Microbiol. 2013 Dec;16(6):708-15. doi: 10.1016/j.mib.2013.09.006. Epub 2013 Oct 10.
PMID: 24121029 [Free PMC article](#).
- 199 [Ciclopirox Olamine Exerts Tumor-Suppressor Effects via Topoisomerase II Alpha in Lung Adenocarcinoma.](#)
Yin J, Che G, Jiang K, Zhou Z, Wu L, Xu M, Liu J, Yan S.
Front Oncol. 2022 Feb 18;12:791916. doi: 10.3389/fonc.2022.791916. eCollection 2022.
PMID: 35251970 [Free PMC article](#).
- 200 [Combining Genome-Wide Gene Expression Analysis \(RNA-seq\) and a Gene Editing Platform \(CRISPR-Cas9\) to Uncover the Selectively Pro-oxidant Activity of Aurone Compounds Against Candida albicans.](#)
Alqahtani FM, Handy ST, Sutton CL, Farone MB.
Front Microbiol. 2021 Jul 15;12:708267. doi: 10.3389/fmicb.2021.708267. eCollection 2021.
PMID: 34335543 [Free PMC article](#).

[« First](#)[< Prev](#)Page of [Next >](#)[Last >>](#)

FOLLOW NCBI



Connect with NLM

National Library of Medicine
8600 Rockville Pike
Bethesda, MD 20894

[Web Policies](#)
[FOIA](#)
[HHS Vulnerability Disclosure](#)

[Help](#)
[Accessibility](#)
[Careers](#)

[NLM](#) [NIH](#) [HHS](#) [USA.gov](#)